




- Hooking FC
- Universal clamps
- Accessories

CATALOGUE

TABLE OF CONTENTS



FCA4	4
FCA4s	8
FCA5	9
FCA5s	13
FCB	14
FCBs	18
FCB20	19
FCB20s	23
FCC	24
FCCs	28
FCE	29
FCEs	33
FCM	34
FCMs	38
FCU	39
FCUs	41
FU	43
FUs	45
CU	47
FBU	49
KU	51
KUs	52
FFB	53
FFS105 / FFS200	54
PC10-40	55

Cable clamps mounts for angles 40 mm


Material: Stainless steel

Polyamide with black glass fiber, resistant to UV radiation


FCA4




STANDARD




TRIANGLE



2 ROADS



COMBINATION



...and more other solution for request.

Figure	Name / code	øD	L	H ₁	H _{max}		gram
	FCA4 1 X 4,2	4,2- 5,0	22	18	63	50/100/200	51
	FCA4 1 X 5	5,2- 6,2	22	18	63	50/100/200	51
	FCA4 1 X 6	5,5- 6,5	22	18	63	50/100/200	51
	FCA4 1 X 6,5	6,5- 7,5	22	18	63	50/100/200	51
	FCA4 1 X 8	7,5- 8,5	22	18	63	50/100/200	51
	FCA4 1 X 9	8,5- 9,5	22	22	67	50/100	50
	FCA4 1 X 10	9,5- 10,5	22	22	67	50/100	59
	FCA4 1 X 11	10,5- 11,5	22	22	67	50/100	59
	FCA4 1 X 3/8" (14)	13- 14	22	23	68	50/100	59
	FCA4 1 X 1/2" (17)	16- 17	22	30	75	50/100	57
	FCA4 1 X 18,5	18- 19	32	32	77	50	90
	FCA4 2 X 19,5	19- 20	32	32	77	50	88
	FCA4 1 X 24	24,5- 25,5	32	44	90	50	110
	FCA4 1 X 7/8" (28)	27- 28	32	44	90	50	104
	FCA4 1 X 1.1/4" (40)	39- 40	46	57	117	25	162
	FCA4 1 X 1.5/8" (52)	50- 52	56	68	128	25	183
	FCA4 2 X 4,2	4,2- 5,0	22	30	75	50/100	67
	FCA4 2 X 5	5,2- 6,2	22	30	75	50/100	67
	FCA4 2 X 6	5,5- 6,5	22	30	75	50/100	67
	FCA4 2 X 6,5	6,5- 7,5	22	30	75	50/100	67
	FCA4 2 X 8	7,5- 8,5	22	30	75	50/100	65
	FCA4 2 X 9	8,5- 9,5	22	38	83	50/100	82
	FCA4 2 X 10	9,5- 10,5	22	38	83	50/100	82
	FCA4 2 X 11	10,5- 11,5	22	38	83	50/100	82
	FCA4 2 X 3/8" (14)	13- 14	22	40	85	50/100	75
	FCA4 2 X 1/2" (17)	16- 17	22	54	99	50/100	75
	FCA4 2 X 18,5	18- 19	32	57	102	50	127
	FCA4 2 X 19,5	19- 20	32	57	102	50	124
	FCA4 2 X 24	24,5- 25,5	32	81	126	50	154
	FCA4 2 X 7/8" (28)	27- 28	32	81	126	50	142
	FCA4 2 X 1.1/4" (40)	39- 40	46	106	166	25	228
	FCA4 2 X 1.5/8" (52)	50- 52	56	128	188	25	267
	FCA4 3 X 4,2	4,2- 5,0	22	42	87	50	83
	FCA4 3 X 5	5,2- 6,2	22	42	87	50	83
	FCA4 3 X 6	5,5- 6,5	22	42	87	50	83
	FCA4 3 X 6,5	6,5- 7,5	22	42	87	50	83
	FCA4 3 X 8	7,5- 8,5	22	42	87	50	83
	FCA4 3 X 9	8,5- 9,5	22	54	99	50	101
	FCA4 3 X 10	9,5- 10,5	22	54	99	50	101
	FCA4 3 X 11	10,5- 11,5	22	54	99	50	101
	FCA4 3 X 3/8" (14)	13- 14	22	57	102	50	94
	FCA4 3 X 1/2" (17)	16- 17	22	78	123	50	110
	FCA4 3 X 18,5	18- 19	32	82	127	50	164
	FCA4 3 X 19,5	19- 20	32	82	127	50	160
	FCA4 3 X 24	24,5- 25,5	32	118	163	25	198
	FCA4 3 X 7/8" (28)	27- 28	32	118	163	25	180
	FCA4 3 X 1.1/4" (40)	39- 40	46	155	215	25	292
	FCA4 3 X 1.5/8" (52)	50- 52	56	188	248	25	351
	FCA4 4 X 4,2	4,2- 5,0	22	54	99	50	99
	FCA4 4 X 5	5,2- 6,2	22	54	99	50	99
	FCA4 4 X 6	5,5- 6,5	22	54	99	50	99
	FCA4 4 X 6,5	6,5- 7,5	22	54	99	50	99
	FCA4 4 X 8	7,5- 8,5	22	54	99	50	99
	FCA4 4 X 9	8,5- 9,5	22	70	115	50	122
	FCA4 4 X 10	9,5- 10,5	22	70	115	50	122
	FCA4 4 X 11	10,5- 11,5	22	70	115	50	122
	FCA4 4 X 3/8" (14)	13- 14	22	74	119	50	112
	FCA4 4 X 1/2" (17)	16- 17	22	102	147	50	134
	FCA4 4 X 18,5	18- 19	32	107	152	25	206
	FCA4 4 X 19,5	19- 20	32	107	152	25	205
	FCA4 4 X 24	24,5- 25,5	32	155	200	25	267
	FCA4 4 X 7/8" (28)	27- 28	32	155	200	25	244
	FCA4 4 X 1.1/4" (40)	39- 40	46	204	269	25	360
	FCA4 4 X 1.5/8" (52)	50- 52	56	248	313	25	435

2 ROADS

Figure	Name / code	øD	L	H ₁	H _{max}		gram
	FCA4 2 X 5/22	5,0- 6,0	22	17	62	50/100/200	58
	FCA4 2 X 6/22	5,6- 6,5	22	20	75	50/100/200	58
	FCA4 2 X 6,5/22	6,5- 7,3	22	20	75	50/100/200	58
	FCA4 2 X 8/22	8,0- 9,0	22	20	75	50/100/200	58
	FCA4 2 X 10	10,0- 11,0	32	23	78	50/100	78
	FCA4 2 X 11	10,0- 11,0	32	23	78	50/100	78
	FCA4 4 X 5/22	5,0- 6,0	22	28	73	50/100	76
	FCA4 4 X 6/22	5,6- 6,5	22	34	79	50/100	76
	FCA4 4 X 6,5/22	6,5- 7,3	22	34	79	50/100	76
	FCA4 4 X 8/22	8,0- 9,0	22	34	79	50/100	76
	FCA4 4 X 10	10,0- 11,0	32	40	85	50	83
	FCA4 4 X 11	10,0- 11,0	32	40	85	50	94
	FCA4 6 X 5/22	5,0- 6,0	22	39	84	50	94
	FCA4 6 X 6/22	5,6- 6,5	22	48	93	50	94
	FCA4 6 X 6,5/22	6,5- 7,3	22	48	93	50	94
	FCA4 6 X 8/22	8,0- 9,0	22	48	93	50	94
	FCA4 6 X 10	10,0- 11,0	32	57	122	50	110
	FCA4 6 X 11	10,0- 11,0	32	57	122	50	1110

TRIANGLE

Figure	Name / code	øD	L	H ₁	H _{max}		gram
	FCA4 1 X 4-8	4,0- 8,0	22	26	71	50/100	62
	FCA4 1 X 9-16	9,0- 16,0	22	34	79	50/100	64
	FCA4 1 X 12-22	12,0- 22,0	22	41	86	50/100	68
	FCA4 1 X 14-22	14,0- 22,0	32	51	96	50	101
	FCA4 1 X 18-24	18,0- 24,0	32	53	98	50	118
	FCA4 1 X 26-32	26,0- 32,0	32	62	107	50	124
	FCA4 2 X 4-8	4,0- 8,0	22	43	118	50/100	78
	FCA4 2 X 9-16	9,0- 16,0	22	60	135	50/100	85
	FCA4 2 X 12-22	12,0- 22,0	22	74	149	50	96
	FCA4 2 X 14-22	14,0- 22,0	32	93	168	50	159
	FCA4 2 X 18-24	18,0- 24,0	32	97	172	50	188
	FCA4 2 X 26-32	26,0- 32,0	32	115	190	50	197
	FCA4 3 X 4-8	4,0- 8,0	22	59	119	50	96
	FCA4 3 X 9-16	9,0- 16,0	22	84	144	50	96
	FCA4 3 X 12-22	12,0- 22,0	22	105	165	50	123
	FCA4 3 X 14-22	14,0- 22,0	32	135	195	50	149
	FCA4 3 X 18-24	18,0- 24,0	32	141	201	50	255
	FCA4 3 X 26-32	26,0- 32,0	32	163	228	50	270
	FCA4 2 X 8-14	8,0- 14,0	32	36	111	50	87
	FCA4 4 X 8-14	8,0- 14,0	32	63	123	50	127
	FCA4 6 X 8-14	8,0- 14,0	32	90	150	50	163

OTHER COMBINATIONS

Figure	Name / code	øD	L	H ₁	H _{max}		gram
	FCA4 3 X 18-24 + 2 X 8-12	3 X 18-24 2 X 8-12	32	168	228	50	290
	FCA4 2 X 18-24 + 2 X 8-12	2 X 18-24 2 X 8-12	32	124	184	50	223
	FCA4 18-24 + 2 X 8-12	1 X 18-24 2 X 8-12	32	80	155	50	156
	FCA4 14-32 + 2 X 8-14	14-32 2 X 8-14	32	90	150	50	160
	FCA4 3 X 12-22 + 2 X 6,5/22	3 X 12-22 2 X 6,5/22	22	120	180	50	137
	FCA4 3 X 12-22 + 4 X 6,5/22	3 X 12-22 4 X 6,5/22	22	134	194	50	191
	FCA4 3 X 12-22 + 6 X 6,5/22	3 X 12-22 6 X 6,5/22	22	147	207	50	207
	FCA4 3 X 12-22 + 6 X 5/22	3 X 12-22 6 X 5/22	22	140	207	50	198
	FCA4 12-22 + 6 X 5/22	12-22 6 X 5/22	22	74	134	50	110
	FCA4 3 X 12-22 + 6,5	3 X 12-22 6,5	22	119	179	50	136
	FCA4 12-22 + 2 X 5/22	12-22 2 X 5/22	22	52	112	50	82
	FCA4 12-22 + 4 X 5/22	12-22 4 X 5/22	22	63	123	50	91
	FCA4 12-22 + 2 X 6,5/22	12-22 2 X 6,5/22	22	55	115	50	84
	FCA4 12-22 + 4 X 6,5/22	12-22 4 X 6,5/22	22	68	128	50	97
	FCA4 12-22 + 6,5	12-22 6,5	22	53	113	50	77
	FCA4 9-16 + 6,5	9-16 6,5	22	46	106	50	72
	FCA4 4,2 + 9-16	4,2 9-16	22	46	121	50	77
	FCA4 3 X 4,2 + 4,2 + 9-16	4,2 4,2 9-16	22	58	133	50	93
	FCA4 14-32 + 2 X 10	14-32 2X 10	32	80	155	50	152

Cable clamps mounts for angles 40 mm

Material: Stainless steel

Polyamide with black glass fiber, resistant to UV radiation

FCA4s





Figure	Name / code	$\varnothing D$	L	H ₁	H _{max}		gram
	FCA4s 1 X 5	5,2- 6,2	13	23	68	50/100/200	48
	FCA4s 1 X 8	7,5- 8,5	13	23	68	50/100/200	47
	FCA4s 1 X 10	9,5- 10,5	13	23	68	50/100/200	45
	FCA4s 1 X 11	10,5- 11,5	13	23	68	50/100/200	44
	FCA4s 2 X 5	5,2- 6,2	13	41	86	50/100	60
	FCA4s 2 X 8	7,5- 8,5	13	41	86	50/100	58
	FCA4s 2 X 10	9,5- 10,5	13	41	86	50/100	54
	FCA4s 2 X 11	10,5- 11,5	13	41	86	50/100	53
	FCA4s 3 X 5	5,2- 6,2	13	59	104	50/100	72
	FCA4s 3 X 8	7,5- 8,5	13	59	104	50/100	69
	FCA4s 3 X 10	9,5- 10,5	13	59	104	50/100	63
	FCA4s 3 X 11	10,5- 11,5	13	59	104	50/100	60
	FCA4s 4 X 5	5,2- 6,2	13	77	122	50	84
	FCA4s 4 X 8	7,5- 8,5	13	77	122	50	80
	FCA4s 4 X 10	9,5- 10,5	13	77	122	50	72
	FCA4s 4 X 11	10,5- 11,5	13	77	122	50	69

Cable clamps mounts for angles 50 mm


Material: Stainless steel

Polyamide with black glass fiber, resistant to UV radiation


FCA5




STANDARD




TRIANGLE



2 ROADS



COMBINATION



...and more other solution for request.

Figure	Name / code	øD	L	H1	Hmax		gram
	FCA5 1 X 4,2	4,2- 5,0	22	18	63	50/100/200	53
	FCA5 1 X 5	5,2- 6,2	22	18	63	50/100/200	53
	FCA5 1 X 6	5,5- 6,5	22	18	63	50/100/200	53
	FCA5 1 X 6,5	6,5- 7,5	22	18	63	50/100/200	53
	FCA5 1 X 8	7,5- 8,5	22	18	63	50/100/200	53
	FCA5 1 X 9	8,5- 9,5	22	22	67	50/100	52
	FCA5 1 X 10	9,5- 10,5	22	22	67	50/100	61
	FCA5 1 X 11	10,5- 11,5	22	22	67	50/100	61
	FCA5 1 X 3/8" (14)	13- 14	22	23	68	50/100	61
	FCA5 1 X 1/2" (17)	16- 17	22	30	75	50/100	59
	FCA5 1 X 18,5	18- 19	32	32	77	50	94
	FCA5 2 X 19,5	19- 20	32	32	77	50	92
	FCA5 1 X 24	24,5- 25,5	32	44	90	50	114
	FCA5 1 X 7/8" (28)	27- 28	32	44	90	50	108
	FCA5 1 X 1.1/4" (40)	39- 40	46	57	117	25	168
	FCA5 1 X 1.5/8" (52)	50- 52	56	68	128	25	189
	FCA5 2 X 4,2	4,2- 5,0	22	30	75	50/100	69
	FCA5 2 X 5	5,2- 6,2	22	30	75	50/100	69
	FCA5 2 X 6	5,5- 6,5	22	30	75	50/100	69
	FCA5 2 X 6,5	6,5- 7,5	22	30	75	50/100	69
	FCA5 2 X 8	7,5- 8,5	22	30	75	50/100	67
	FCA5 2 X 9	8,5- 9,5	22	38	83	50/100	84
	FCA5 2 X 10	9,5- 10,5	22	38	83	50/100	84
	FCA5 2 X 11	10,5- 11,5	22	38	83	50/100	84
	FCA5 2 X 3/8" (14)	13- 14	22	40	85	50/100	81
	FCA5 2 X 1/2" (17)	16- 17	22	54	99	50/100	92
	FCA5 2 X 18,5	18- 19	32	57	102	50	131
	FCA5 2 X 19,5	19- 20	32	57	102	50	128
	FCA5 2 X 24	24,5- 25,5	32	81	126	50	158
	FCA5 2 X 7/8" (28)	27- 28	32	81	126	50	146
	FCA5 2 X 1.1/4" (40)	39- 40	46	106	166	25	234
	FCA5 2 X 1.5/8" (52)	50- 52	56	128	188	25	273
	FCA5 3 X 4,2	4,2- 5,0	22	42	87	50	85
	FCA5 3 X 5	5,2- 6,2	22	42	87	50	85
	FCA5 3 X 6	5,5- 6,5	22	42	87	50	85
	FCA5 3 X 6,5	6,5- 7,5	22	42	87	50	85
	FCA5 3 X 8	7,5- 8,5	22	42	87	50	85
	FCA5 3 X 9	8,5- 9,5	22	54	99	50	103
	FCA5 3 X 10	9,5- 10,5	22	54	99	50	103
	FCA5 3 X 11	10,5- 11,5	22	54	99	50	103
	FCA5 3 X 3/8" (14)	13- 14	22	57	102	50	96
	FCA5 3 X 1/2" (17)	16- 17	22	78	123	50	112
	FCA5 3 X 18,5	18- 19	32	82	127	50	168
	FCA5 3 X 19,5	19- 20	32	82	127	50	166
	FCA5 3 X 24	24,5- 25,5	32	118	163	25	202
	FCA5 3 X 7/8" (28)	27- 28	32	118	163	25	184
	FCA5 3 X 1.1/4" (40)	39- 40	46	155	215	25	298
	FCA5 3 X 1.5/8" (52)	50- 52	56	188	248	25	357
	FCA5 4 X 4,2	4,2- 5,0	22	54	99	50	101
	FCA5 4 X 5	5,2- 6,2	22	54	99	50	101
	FCA5 4 X 6	5,5- 6,5	22	54	99	50	101
	FCA5 4 X 6,5	6,5- 7,5	22	54	99	50	101
	FCA5 4 X 8	7,5- 8,5	22	54	99	50	101
	FCA5 4 X 9	8,5- 9,5	22	70	115	50	124
	FCA5 4 X 10	9,5- 10,5	22	70	115	50	124
	FCA5 4 X 11	10,5- 11,5	22	70	115	50	124
	FCA5 4 X 3/8" (14)	13- 14	22	74	119	50	114
	FCA5 4 X 1/2" (17)	16- 17	22	102	147	50	136
	FCA5 4 X 18,5	18- 19	32	107	152	25	210
	FCA5 4 X 19,5	19- 20	32	107	152	25	209
	FCA5 4 X 24	24,5- 25,5	32	155	200	25	271
	FCA5 4 X 7/8" (28)	27- 28	32	155	200	25	248
	FCA5 4 X 1.1/4" (40)	39- 40	46	204	269	25	366
	FCA5 4 X 1.5/8" (52)	50- 52	56	248	313	25	441

2 ROADS

Figure	Name / code	øD	L	H ₁	H _{max}		gram
	FCA5 2 X 5/22	5,0- 6,0	22	17	62	50/100/200	60
	FCA5 2 X 6/22	5,6- 6,5	22	20	75	50/100/200	60
	FCA5 2 X 6,5/22	6,5- 7,3	22	20	75	50/100/200	60
	FCA5 2 X 8/22	8,0- 9,0	22	20	75	50/100/200	60
	FCA5 2 X 10	10,0- 11,0	32	23	78	50/100	80
	FCA5 2 X 11	10,0- 11,0	32	23	78	50/100	80
	FCA5 4 X 5/22	5,0- 6,0	22	28	73	50/100	78
	FCA5 4 X 6/22	5,6- 6,5	22	34	79	50/100	78
	FCA5 4 X 6,5/22	6,5- 7,3	22	34	79	50/100	78
	FCA5 4 X 8/22	8,0- 9,0	22	34	79	50/100	78
	FCA5 4 X 10	10,0- 11,0	32	40	85	50	96
	FCA5 4 X 11	10,0- 11,0	32	40	85	50	96
	FCA5 6 X 5/22	5,0- 6,0	22	39	84	50	96
	FCA5 6 X 6/22	5,6- 6,5	22	48	93	50	96
	FCA5 6 X 6,5/22	6,5- 7,3	22	48	93	50	96
	FCA5 6 X 8/22	8,0- 9,0	22	48	93	50	96
	FCA5 6 X 10	10,0- 11,0	32	57	122	50	112
	FCA5 6 X 11	10,0- 11,0	32	57	122	50	112

TRIANGLE

Figure	Name / code	øD	L	H ₁	H _{max}		gram
	FCA5 1 X 4-8	4,0- 8,0	22	26	71	50/100	64
	FCA5 1 X 9-16	9,0- 16,0	22	34	79	50/100	66
	FCA5 1 X 12-22	12,0- 22,0	22	41	86	50/100	70
	FCA5 1 X 14-22	14,0- 22,0	32	51	96	50	103
	FCA5 1 X 18-24	18,0- 24,0	32	53	98	50	122
	FCA5 1 X 26-32	26,0- 32,0	32	62	107	50	128
	FCA5 2 X 4-8	4,0- 8,0	22	43	118	50/100	80
	FCA5 2 X 9-16	9,0- 16,0	22	60	135	50/100	87
	FCA5 2 X 12-22	12,0- 22,0	22	74	149	50	98
	FCA5 2 X 14-22	14,0- 22,0	32	93	168	50	161
	FCA5 2 X 18-24	18,0- 24,0	32	97	172	50	192
	FCA5 2 X 26-32	26,0- 32,0	32	115	190	50	201
	FCA5 2 X 14-22 + 26-32	14,00-22,00 26,00- 32,00	32	105	165	50	205
	FCA5 3 X 4-8	4,0- 8,0	22	59	119	50	98
	FCA5 3 X 9-16	9,0- 16,0	22	84	144	50	108
	FCA5 3 X 12-22	12,0- 22,0	22	105	165	50	125
	FCA5 3 X 14-22	14,0- 22,0	32	135	195	50	253
	FCA5 3 X 18-24	18,0- 24,0	32	141	201	50	259
	FCA5 3 X 26-32	26,0- 32,0	32	163	228	50	274
	FCA5 2 X 8-14	8,0- 14,0	32	36	111	50	91
	FCA5 4 X 8-14	8,0- 14,0	32	63	123	50	131
	FCA5 6 X 8-14	8,0- 14,0	32	90	150	50	167

OTHER COMBINATIONS

Figure	Name / code	øD	L	H ₁	H _{max}		gram
	FCA5 3 X 18-24 + 2 X 8-12	3 X 18-24 2 X 8-12	32	168	228	50	294
	FCA5 2 X 18-24 + 2 X 8-12	2 X 18-24 2 X 8-12	32	124	184	50	227
	FCA5 18-24 + 2 X 8-12	1 X 18-24 2 X 8-12	32	80	155	50	160
	FCA5 14-32 + 2 X 8-14	14-32 2 X 8-14	32	90	150	50	164
	FCA5 3 X 12-22 + 2 X 6,5/22	3 X 12-22 2 X 6,5/22	22	120	180	50	139
	FCA5 3 X 12-22 + 4 X 6,5/22	3 X 12-22 4 X 6,5/22	22	134	194	50	195
	FCA5 3 X 12-22 + 6 X 6,5/22	3 X 12-22 6 X 6,5/22	22	147	207	50	211
	FCA5 3 X 12-22 + 6 X 5/22	3 X 12-22 6 X 5/22	22	140	207	50	202
	FCA5 12-22 + 6 X 5/22	12-22 6 X 5/22	22	74	134	50	112
	FCA5 3 X 12-22 + 6,5	3 X 12-22 6,5	22	119	179	50	138
	FCA5 12-22 + 2 X 5/22	12-22 2 X 5/22	22	52	112	50	84
	FCA5 12-22 + 4 X 5/22	12-22 4 X 5/22	22	63	123	50	97
	FCA5 12-22 + 2 X 6,5/22	12-22 2 X 6,5/22	22	55	115	50	86
	FCA5 12-22 + 4 X 6,5/22	12-22 4 X 6,5/22	22	68	128	50	103
	FCA5 12-22 + 6,5	12-22 6,5	22	53	113	50	83
	FCA5 9-16 + 6,5	9-16 6,5	22	46	106	50	78
	FCA5 4,2 + 9-16	4,2 9-16	22	46	121	50	81
	FCA5 3 X 4,2 + 4,2 + 9-16	4,2 4,2 9-16	22	58	133	50	97
	FCA5 14-32 + 2 X 10	14-32 2 X 10	32	80	155	50	158

Cable clamps mounts for angles 50 mm

Material: Stainless steel

Polyamide with black glass fiber, resistant to UV radiation

FCA5s






Figure	Name / code	$\varnothing D$	L	H ₁	H _{max}		gram
	FCA5s 1 X 5	5,2- 6,2	13	23	68	50/100/200	53
	FCA5s 1 X 8	7,5- 8,5	13	23	68	50/100/200	52
	FCA5s 1 X 10	9,5- 10,5	13	23	68	50/100/200	50
	FCA5s 1 X 11	10,5- 11,5	13	23	68	50/100/200	49
	FCA5s 2 X 5	5,2- 6,2	13	41	86	50/100	65
	FCA5s 2 X 8	7,5- 8,5	13	41	86	50/100	63
	FCA5s 2 X 10	9,5- 10,5	13	41	86	50/100	59
	FCA5s 2 X 11	10,5- 11,5	13	41	86	50/100	58
	FCA5s 3 X 5	5,2- 6,2	13	59	104	50/100	77
	FCA5s 3 X 8	7,5- 8,5	13	59	104	50/100	74
	FCA5s 3 X 10	9,5- 10,5	13	59	104	50/100	68
	FCA5s 3 X 11	10,5- 11,5	13	59	104	50/100	65
	FCA5s 4 X 5	5,2- 6,2	13	77	122	50	89
	FCA5s 4 X 8	7,5- 8,5	13	77	122	50	85
	FCA5s 4 X 10	9,5- 10,5	13	77	122	50	77
	FCA5s 4 X 11	10,5- 11,5	13	77	122	50	74

Cable clamps mounts for flat bars 3-12 mm

Material: Stainless steel


Polyamide with black glass fiber, resistant to UV radiation

FCB




Compatible with FFS105 and FFS200.


STANDARD




TRIANGLE



2 ROADS



COMBINATION



...and more other solution for request.

Figure	Name / code	øD	L	H ₁	H _{max}		gram
	FCB 1 X 4,2	4,2- 5,0	22	18	48	50/100/200	43
	FCB 1 X 5	5,2- 6,2	22	18	48	50/100/200	43
	FCB 1 X 6	5,5- 6,5	22	18	48	50/100/200	43
	FCB 1 X 6,5	6,5- 7,5	22	18	48	50/100/200	43
	FCB 1 X 8	7,5- 8,5	22	18	48	50/100/200	42
	FCB 1 X 9	8,5- 9,5	22	22	52	50/100/200	51
	FCB 1 X 10	9,5- 10,5	22	22	52	50/100/200	51
	FCB 1 X 11	10,5- 11,5	22	22	52	50/100/200	51
	FCB 1 X 3/8" (14)	13- 14	22	23	52	50/100/200	49
	FCB 1 X 1/2" (17)	16- 17	22	30	52	50/100	54
	FCB 1 X 18,5	18- 19	32	32	52	50	79
	FCB 2 X 19,5	19- 20	32	32	52	50	77
	FCB 1 X 24	24,5- 25,5	32	44	52	50	99
	FCB 1 X 7/8" (28)	27- 28	32	44	52	50	93
	FCB 1 X 1.1/4" (40)	39- 40	46	57	52	25/50	148
	FCB 1 X 1.5/8" (52)	50- 52	56	68	52	25/50	169
	FCB 2 X 4,2	4,2- 5,0	22	30	60	50/100	59
	FCB 2 X 5	5,2- 6,2	22	30	60	50/100	59
	FCB 2 X 6	5,5- 6,5	22	30	60	50/100	59
	FCB 2 X 6,5	6,5- 7,5	22	30	60	50/100	59
	FCB 2 X 8	7,5- 8,5	22	30	60	50/100	57
	FCB 2 X 9	8,5- 9,5	22	38	68	50/100	72
	FCB 2 X 10	9,5- 10,5	22	38	68	50/100	72
	FCB 2 X 11	10,5- 11,5	22	38	68	50/100	72
	FCB 2 X 3/8" (14)	13- 14	22	40	70	50/100	67
	FCB 2 X 1/2" (17)	16- 17	22	54	84	50/100	78
	FCB 2 X 18,5	18- 19	32	57	87	50	116
	FCB 2 X 19,5	19- 20	32	57	87	50	113
	FCB 2 X 24	24,5- 25,5	32	81	111	50	143
	FCB 2 X 7/8" (28)	27- 28	32	81	111	50	131
	FCB 2 X 1.1/4" (40)	39- 40	46	106	146	25/50	214
	FCB 2 X 1.5/8" (52)	50- 52	56	128	468	25/50	253
	FCB 3 X 4,2	4,2- 5,0	22	42	72	50/100	75
	FCB 3 X 5	5,2- 6,2	22	42	72	50/100	75
	FCB 3 X 6	5,5- 6,5	22	42	72	50/100	75
	FCB 3 X 6,5	6,5- 7,5	22	42	72	50/100	75
	FCB 3 X 8	7,5- 8,5	22	42	72	50/100	73
	FCB 3 X 9	8,5- 9,5	22	54	84	50/100	93
	FCB 3 X 10	9,5- 10,5	22	54	84	50/100	93
	FCB 3 X 11	10,5- 11,5	22	54	84	50/100	93
	FCB 3 X 3/8" (14)	13- 14	22	57	87	50/100	86
	FCB 3 X 1/2" (17)	16- 17	22	78	108	50	102
	FCB 3 X 18,5	18- 19	32	82	112	50	153
	FCB 3 X 19,5	19- 20	32	82	122	50	149
	FCB 3 X 24	24,5- 25,5	32	118	148	50	187
	FCB 3 X 7/8" (28)	27- 28	32	118	148	50	169
	FCB 3 X 1.1/4" (40)	39- 40	46	155	195	25	280
	FCB 3 X 1.5/8" (52)	50- 52	56	188	228	25	337
	FCB 4 X 4,2	4,2- 5,0	22	54	84	50	91
	FCB 4 X 5	5,2- 6,2	22	54	84	50	91
	FCB 4 X 6	5,5- 6,5	22	54	84	50	91
	FCB 4 X 6,5	6,5- 7,5	22	54	84	50	91
	FCB 4 X 8	7,5- 8,5	22	54	84	50	88
	FCB 4 X 9	8,5- 9,5	22	70	100	50	114
	FCB 4 X 10	9,5- 10,5	22	70	100	50	114
	FCB 4 X 11	10,5- 11,5	22	70	100	50	114
	FCB 4 X 3/8" (14)	13- 14	22	74	104	50	104
	FCB 4 X 1/2" (17)	16- 17	22	102	132	50	126
	FCB 4 X 18,5	18- 19	32	107	137	25	195
	FCB 4 X 19,5	19- 20	32	107	137	25	194
	FCB 4 X 24	24,5- 25,5	32	155	185	25	257
	FCB 4 X 7/8" (28)	27- 28	32	155	185	25	232
	FCB 4 X 1.1/4" (40)	39- 40	46	204	244	25	346
	FCB 4 X 1.5/8" (52)	50- 52	56	248	288	25	421

2 ROADS

Figure	Name / code	øD	L	H ₁	H _{max}		gram
	FCB 2 X 5/22	5,0- 6,0	22	17	47	50/100/200	50
	FCB 2 X 6/22	5,6- 6,5	22	20	50	50/100/200	50
	FCB 2 X 6,5/22	6,5- 7,3	22	20	50	50/100/200	50
	FCB 2 X 8/22	8,0- 9,0	22	20	50	50/100/200	50
	FCB 2 X 10	10,0- 11,0	32	23	52	50/100	71
	FCB 2 X 11	10,0- 11,0	32	23	52	50/100	71
	FCB 4 X 5/22	5,0- 6,0	22	28	58	50/100	69
	FCB 4 X 6/22	5,6- 6,5	22	34	64	50/100	69
	FCB 4 X 6,5/22	6,5- 7,3	22	34	64	50/100	69
	FCB 4 X 8/22	8,0- 9,0	22	34	64	50/100	69
	FCB 4 X 10	10,0- 11,0	32	40	70	50	96
	FCB 4 X 11	10,0- 11,0	32	40	70	50	96
	FCB 6 X 5/22	5,0- 6,0	22	39	69	50/100	87
	FCB 6 X 6/22	5,6- 6,5	22	48	78	50/100	87
	FCB 6 X 6,5/22	6,5- 7,3	22	48	78	50/100	87
	FCB 6 X 8/22	8,0- 9,0	22	48	78	50/100	87
	FCB 6 X 10	10,0- 11,0	32	57	107	50	113
	FCB 6 X 11	10,0- 11,0	32	57	107	50	113

TRIANGLE

Figure	Name / code	øD	L	H ₁	H _{max}		gram
	FCB 1 X 4-8	4,0- 8,0	22	26	71	50/100	53
	FCB 1 X 9-16	9,0- 16,0	22	34	79	50/100	53
	FCB 1 X 12-22	12,0- 22,0	22	41	86	50/100	59
	FCB 1 X 14-22	14,0- 22,0	32	51	96	50	92
	FCB 1 X 18-24	18,0- 24,0	32	53	98	50	107
	FCB 1 X 26-32	26,0- 32,0	32	62	107	50	113
	FCB 2 X 4-8	4,0- 8,0	22	43	103	50/100	71
	FCB 2 X 9-16	9,0- 16,0	22	60	120	50/100	78
	FCB 2 X 12-22	12,0- 22,0	22	74	134	50	89
	FCB 2 X 14-22	14,0- 22,0	32	93	153	50	152
	FCB 2 X 18-24	18,0- 24,0	32	97	157	50	179
	FCB 2 X 26-32	26,0- 32,0	32	115	175	50	188
	FCB 2 X 14-22 + 26-32	14,00-22,00 26,00- 32,00	32	105	165	50	205
	FCB 3 X 4-8	4,0- 8,0	22	59	119	50/100	89
	FCB 3 X 9-16	9,0- 16,0	22	84	144	50/100	99
	FCB 3 X 12-22	12,0- 22,0	22	105	165	50	116
	FCB 3 X 14-22	14,0- 22,0	32	135	195	50	240
	FCB 3 X 18-24	18,0- 24,0	32	141	221	50	246
	FCB 3 X 26-32	26,0- 32,0	32	163	228	50	261
	FCB 2 X 8-14	8,0- 14,0	32	36	96	50	76
	FCB 4 X 8-14	8,0- 14,0	32	63	108	50	118
	FCB 6 X 8-14	8,0- 14,0	32	90	150	50	154

OTHER COMBINATIONS


Figure	Name / code	øD	L	H ₁	H _{max}		gram
	FCB 3 X 18-24 + 2 X 8-12	3 X 18-24 2 X 8-12	32	168	228	50	281
	FCB 2 X 18-24 + 2 X 8-12	2 X 18-24 2 X 8-12	32	124	184	50	214
	FCB 18-24 + 2 X 8-12	1 X 18-24 2 X 8-12	32	80	155	50	147
	FCB 14-32 + 2 X 8-14	14-32 2 X 8-14	32	90	135	50	151
	FCB 3 X 12-22 + 2 X 6,5/22	3 X 12-22 2 X 6,5/22	22	120	180	50	182
	FCB 3 X 12-22 + 4 X 6,5/22	3 X 12-22 4 X 6,5/22	22	134	194	50	130
	FCB 3 X 12-22 + 6 X 6,5/22	3 X 12-22 6 X 6,5/22	22	147	207	50	198
	FCB 3 X 12-22 + 6 X 5/22	3 X 12-22 6 X 5/22	22	140	207	50	189
	FCB 12-22 + 6 X 5/22	12-22 6 X 5/22	22	74	119	50	103
	FCB 3 X 12-22 + 6,5	3 X 12-22 6,5	22	119	179	50	129
	FCB 12-22 + 2 X 5/22	12-22 2 X 5/22	22	52	97	50	75
	FCB 12-22 + 4 X 5/22	12-22 4 X 5/22	22	63	108	50	88
	FCB 12-22 + 2 X 6,5/22	12-22 2 X 6,5/22	22	55	100	50	77
	FCB 12-22 + 4 X 6,5/22	12-22 4 X 6,5/22	22	68	113	50	94
	FCB 12-22 + 6,5	12-22 6,5	22	53	98	50	74
	FCB 9-16 + 6,5	9-16 6,5	22	46	91	50	69
	FCB 4,2 + 9-16	4,2 9-16	22	46	106	50	70
	FCB 3 X 4,2 + 4,2 + 9-16	4,2 4,2 9-16	22	58	118	50	86
	FCB 14-32 + 2 X 10	14-32 2X 10	32	80	140	50	143

Cable clamps mounts for flat bars 3-12 mm

Material: Stainless steel

Polyamide with black glass fiber, resistant to UV radiation

FCBs



Compatible with FFS105 and FFS200.



Figure	Name / code	øD	L	H ₁	H _{max}		gram
	FCBs 1 X 5	5,2- 6,2	13	23	53	50/100/200	55
	FCBs 1 X 8	7,5- 8,5	13	23	53	50/100/200	55
	FCBs 1 X 10	9,5- 10,5	13	23	53	50/100/200	55
	FCBs 1 X 11	10,5- 11,5	13	23	53	50/100/200	55
	FCBs 2 X 5	5,2- 6,2	13	41	71	50/100	73
	FCBs 2 X 8	7,5- 8,5	13	41	71	50/100	73
	FCBs 2 X 10	9,5- 10,5	13	41	71	50/100	73
	FCBs 2 X 11	10,5- 11,5	13	41	71	50/100	73
	FCBs 3 X 5	5,2- 6,2	13	59	89	50/100	91
	FCBs 3 X 8	7,5- 8,5	13	59	89	50/100	91
	FCBs 3 X 10	9,5- 10,5	13	59	89	50/100	91
	FCBs 3 X 11	10,5- 11,5	13	59	89	50/100	91
	FCBs 4 X 5	5,2- 6,2	13	77	107	50	109
	FCBs 4 X 8	7,5- 8,5	13	77	107	50	109
	FCBs 4 X 10	9,5- 10,5	13	77	107	50	109
	FCBs 4 X 11	10,5- 11,5	13	77	107	50	109

Cable mounts for flat bars 3-20 mm; VIBE

Material: Stainless steel


Polyamide with black glass fiber, resistant to UV radiation

FCB20




Compatible with FFS105 and FFS200.


STANDARD




TRIANGLE



2 ROADS



COMBINATION



...and more other solution for request.

Figure	Name / code	øD	L	H1	Hmax		gram
	FCB20 1 X 4,2	4,2- 5,0	22	18	53	50/100/200	44
	FCB20 1 X 5	5,2- 6,2	22	18	53	50/100/200	44
	FCB20 1 X 6	5,5- 6,5	22	18	53	50/100/200	44
	FCB20 1 X 6,5	6,5- 7,5	22	18	53	50/100/200	44
	FCB20 1 X 8	7,5- 8,5	22	18	53	50/100/200	44
	FCB20 1 X 9	8,5- 9,5	22	22	57	50/100/200	52
	FCB20 1 X 10	9,5- 10,5	22	22	57	50/100/200	52
	FCB20 1 X 11	10,5- 11,5	22	22	57	50/100/200	52
	FCB20 1 X 3/8" (14)	13- 14	22	23	58	50/100/200	50
	FCB20 1 X 1/2" (17)	16- 17	22	30	65	50/100	55
	FCB20 1 X 18,5	18- 19	32	32	67	50	81
	FCB20 2 X 19,5	19- 20	32	32	67	50	79
	FCB20 1 X 24	24,5- 25,5	32	44	80	50	101
	FCB20 1 X 7/8" (28)	27- 28	32	44	80	50	95
	FCB20 1 X 1.1/4" (40)	39- 40	46	57	107	25/50	151
	FCB20 1 X 1.5/8" (52)	50- 52	56	68	118	25/50	172
	FCB20 2 X 4,2	4,2- 5,0	22	30	65	50/100	60
	FCB20 2 X 5	5,2- 6,2	22	30	65	50/100	60
	FCB20 2 X 6	5,5- 6,5	22	30	65	50/100	60
	FCB20 2 X 6,5	6,5- 7,5	22	30	65	50/100	60
	FCB20 2 X 8	7,5- 8,5	22	30	65	50/100	60
	FCB20 2 X 9	8,5- 9,5	22	38	73	50/100	73
	FCB20 2 X 10	9,5- 10,5	22	38	73	50/100	73
	FCB20 2 X 11	10,5- 11,5	22	38	73	50/100	73
	FCB20 2 X 3/8" (14)	13- 14	22	40	75	50/100	68
	FCB20 2 X 1/2" (17)	16- 17	22	54	89	50/100	79
	FCB20 2 X 18,5	18- 19	32	57	92	50	118
	FCB20 2 X 19,5	19- 20	32	57	92	50	115
	FCB20 2 X 24	24,5- 25,5	32	81	116	50	145
	FCB20 2 X 7/8" (28)	27- 28	32	81	116	50	133
	FCB20 2 X 1.1/4" (40)	39- 40	46	106	156	25/50	217
	FCB20 2 X 1.5/8" (52)	50- 52	56	128	178	25/50	256
	FCB20 3 X 4,2	4,2- 5,0	22	42	77	50/100	76
	FCB20 3 X 5	5,2- 6,2	22	42	77	50/100	76
	FCB20 3 X 6	5,5- 6,5	22	42	77	50/100	76
	FCB20 3 X 6,5	6,5- 7,5	22	42	77	50/100	76
	FCB20 3 X 8	7,5- 8,5	22	42	77	50/100	76
	FCB20 3 X 9	8,5- 9,5	22	54	89	50/100	94
	FCB20 3 X 10	9,5- 10,5	22	54	89	50/100	94
	FCB20 3 X 11	10,5- 11,5	22	54	89	50/100	94
	FCB20 3 X 3/8" (14)	13- 14	22	57	92	50/100	87
	FCB20 3 X 1/2" (17)	16- 17	22	78	113	50	103
	FCB20 3 X 18,5	18- 19	32	82	117	50	155
	FCB20 3 X 19,5	19- 20	32	82	117	50	151
	FCB20 3 X 24	24,5- 25,5	32	118	153	50	189
	FCB20 3 X 7/8" (28)	27- 28	32	118	153	50	171
	FCB20 3 X 1.1/4" (40)	39- 40	46	155	205	25	283
	FCB20 3 X 1.5/8" (52)	50- 52	56	188	235	25	340
	FCB20 4 X 4,2	4,2- 5,0	22	54	89	50	91
	FCB20 4 X 5	5,2- 6,2	22	54	89	50	91
	FCB20 4 X 6	5,5- 6,5	22	54	89	50	91
	FCB20 4 X 6,5	6,5- 7,5	22	54	89	50	91
	FCB20 4 X 8	7,5- 8,5	22	54	89	50	89
	FCB20 4 X 9	8,5- 9,5	22	70	105	50	112
	FCB20 4 X 10	9,5- 10,5	22	70	105	50	114
	FCB20 4 X 11	10,5- 11,5	22	70	105	50	114
	FCB20 4 X 3/8" (14)	13- 14	22	74	109	50	104
	FCB20 4 X 1/2" (17)	16- 17	22	102	137	50	126
	FCB20 4 X 18,5	18- 19	32	107	142	25	194
	FCB20 4 X 19,5	19- 20	32	107	142	25	194
	FCB20 4 X 24	24,5- 25,5	32	155	200	25	257
	FCB20 4 X 7/8" (28)	27- 28	32	155	200	25	233
	FCB20 4 X 1.1/4" (40)	39- 40	46	204	254	25	348
	FCB20 4 X 1.5/8" (52)	50- 52	56	248	298	25	423

2 ROADS

Figure	Name / code	øD	L	H ₁	H _{max}		gram
	FCB20 2 X 5/22	5,0- 6,0	22	17	52	50/100/200	49
	FCB20 2 X 6/22	5,6- 6,5	22	20	55	50/100/200	49
	FCB20 2 X 6,5/22	6,5- 7,3	22	20	55	50/100/200	49
	FCB20 2 X 8/22	8,0- 9,0	22	20	55	50/100/200	49
	FCB20 2 X 10	10,0- 11,0	32	23	58	50/100	70
	FCB20 2 X 11	10,0- 11,0	32	23	58	50/100	70
	FCB20 4 X 5/22	5,0- 6,0	22	28	63	50/100	68
	FCB20 4 X 6/22	5,6- 6,5	22	34	69	50/100	68
	FCB20 4 X 6,5/22	6,5- 7,3	22	34	69	50/100	68
	FCB20 4 X 8/22	8,0- 9,0	22	34	69	50/100	68
	FCB20 4 X 10	10,0- 11,0	32	40	75	50	95
	FCB20 4 X 11	10,0- 11,0	32	40	75	50	95
	FCB20 6 X 5/22	5,0- 6,0	22	39	74	50/100	86
	FCB20 6 X 6/22	5,6- 6,5	22	48	83	50/100	86
	FCB20 6 X 6,5/22	6,5- 7,3	22	48	83	50/100	86
	FCB20 6 X 8/22	8,0- 9,0	22	48	83	50/100	86
	FCB20 6 X 10	10,0- 11,0	32	57	112	50	112
	FCB20 6 X 11	10,0- 11,0	32	57	112	50	112

TRIANGLE

Figure	Name / code	øD	L	H ₁	H _{max}		gram
	FCB20 1 X 4-8	4,0- 8,0	22	26	71	50/100	58
	FCB20 1 X 9-16	9,0- 16,0	22	34	79	50/100	60
	FCB20 1 X 12-22	12,0- 22,0	22	41	86	50/100	64
	FCB20 1 X 14-22	14,0- 22,0	32	51	96	50	97
	FCB20 1 X 18-24	18,0- 24,0	32	53	98	50	110
	FCB20 1 X 26-32	26,0- 32,0	32	62	107	50	116
	FCB20 2 X 4-8	4,0- 8,0	22	43	118	50/100	72
	FCB20 2 X 9-16	9,0- 16,0	22	60	135	50/100	79
	FCB20 2 X 12-22	12,0- 22,0	22	74	149	50	90
	FCB20 2 X 14-22	14,0- 22,0	32	93	168	50	153
	FCB20 2 X 18-24	18,0- 24,0	32	97	172	50	180
	FCB20 2 X 26-32	26,0- 32,0	32	115	190	50	189
	FCB20 2 X 14-22 + 26-32	14,00-22,00 26,00- 32,00	32	105	165	50	205
	FCB20 3 X 4-8	4,0- 8,0	22	59	119	50/100	90
	FCB20 3 X 9-16	9,0- 16,0	22	84	144	50/100	100
	FCB20 3 X 12-22	12,0- 22,0	22	105	165	50	117
	FCB20 3 X 14-22	14,0- 22,0	32	135	195	50	241
	FCB20 3 X 18-24	18,0- 24,0	32	141	201	50	247
	FCB20 3 X 26-32	26,0- 32,0	32	163	228	50	262
	FCB20 2 X 8-14	8,0- 14,0	32	36	111	50	79
	FCB20 4 X 8-14	8,0- 14,0	32	63	123	50	119
	FCB20 6 X 8-14	8,0- 14,0	32	90	150	50	155

OTHER COMBINATIONS


Figure	Name / code	øD	L	H ₁	H _{max}		gram
	FCB20 3 X 18-24 + 2 X 8-12	3 X 18-24 2 X 8-12	32	168	228	50	282
	FCB20 2 X 18-24 + 2 X 8-12	2 X 18-24 2 X 8-12	32	124	184	50	215
	FCB20 18-24 + 2 X 8-12	1 X 18-24 2 X 8-12	32	80	155	50	148
	FCB20 14-32 + 2 X 8-14	14-32 2 X 8-14	32	90	150	50	152
	FCB20 3 X 12-22 + 2 X 6,5/22	3 X 12-22 2 X 6,5/22	22	120	180	50	131
	FCB20 3 X 12-22 + 4 X 6,5/22	3 X 12-22 4 X 6,5/22	22	134	194	50	183
	FCB20 3 X 12-22 + 6 X 6,5/22	3 X 12-22 6 X 6,5/22	22	147	207	50	199
	FCB20 3 X 12-22 + 6 X 5/22	3 X 12-22 6 X 5/22	22	140	207	50	190
	FCB20 12-22 + 6 X 5/22	12-22 6 X 5/22	22	74	134	50	104
	FCB20 3 X 12-22 + 6,5	3 X 12-22 6,5	22	119	179	50	130
	FCB20 12-22 + 2 X 5/22	12-22 2 X 5/22	22	52	112	50	76
	FCB20 12-22 + 4 X 5/22	12-22 4 X 5/22	22	63	108	50	89
	FCB20 12-22 + 2 X 6,5/22	12-22 2 X 6,5/22	22	55	115	50	78
	FCB20 12-22 + 4 X 6,5/22	12-22 4 X 6,5/22	22	68	113	50	95
	FCB20 12-22 + 6,5	12-22 6,5	22	53	98	50	75
	FCB20 9-16 + 6,5	9-16 6,5	22	46	91	50	70
	FCB20 4,2 + 9-16	4,2 9-16	22	46	103	50	73
	FCB20 3 X 4,2 + 4,2 + 9-16	4,2 4,2 9-16	22	58	118	50	89
	FCB20 14-32 + 2 X 10	14-32 2 X 10	32	80	140	50	146

Cable mounts for flat bars 3-20 mm ; VIBE

Material: Stainless steel

Polyamide with black glass fiber, resistant to UV radiation

FCB20s



Compatible with FFS105 and FFS200.


Figure	Name / code	ϕD	L	H ₁	H _{max}		gram
	FCB20s 1 X 5	5,2- 6,2	13	23	58	50/100/200	44
	FCB20s 1 X 8	7,5- 8,5	13	23	58	50/100/200	43
	FCB20s 1 X 10	9,5- 10,5	13	23	58	50/100/200	41
	FCB20s 1 X 11	10,5- 11,5	13	23	58	50/100/200	40
	FCB20s 2 X 5	5,2- 6,2	13	41	76	50/100	56
	FCB20s 2 X 8	7,5- 8,5	13	41	76	50/100	54
	FCB20s 2 X 10	9,5- 10,5	13	41	76	50/100	50
	FCB20s 2 X 11	10,5- 11,5	13	41	76	50/100	49
	FCB20s 3 X 5	5,2- 6,2	13	59	94	50/100	68
	FCB20s 3 X 8	7,5- 8,5	13	59	94	50/100	65
	FCB20s 3 X 10	9,5- 10,5	13	59	94	50/100	59
	FCB20s 3 X 11	10,5- 11,5	13	59	94	50/100	56
	FCB20s 4 X 5	5,2- 6,2	13	77	112	50	80
	FCB20s 4 X 8	7,5- 8,5	13	77	112	50	76
	FCB20s 4 X 10	9,5- 10,5	13	77	112	50	68
	FCB20s 4 X 11	10,5- 11,5	13	77	112	50	65

Cable mounts for flat bars 3-20 mm; VIBE


Material: Stainless steel

Polyamide with black glass fiber, resistant to UV radiation


FCC




PC - compatible with PC10-40.




STANDARD




TRIANGLE



2 ROADS



COMBINATION



...and more other solution for request.

Figure	Name / code	øD	L	H ₁	H _{max}		gram
	FCC 1 X 4,2	4,2- 5,0	22	18	48	50/100/200	41
	FCC 1 X 5	5,2- 6,2	22	18	48	50/100/200	41
	FCC 1 X 6	5,5- 6,5	22	18	48	50/100/200	41
	FCC 1 X 6,5	6,5- 7,5	22	18	48	50/100/200	41
	FCC 1 X 8	7,5- 8,5	22	18	48	50/100/200	41
	FCC 1 X 9	8,5- 9,5	22	22	52	50/100/200	49
	FCC 1 X 10	9,5- 10,5	22	22	52	50/100/200	49
	FCC 1 X 11	10,5- 11,5	22	22	52	50/100/200	49
	FCC 1 X 3/8" (14)	13- 14	22	23	52	50/100/200	47
	FCC 1 X 1/2" (17)	16- 17	22	30	52	50/100	52
	FCC 1 X 18,5	18- 19	32	32	52	50	76
	FCC 2 X 19,5	19- 20	32	32	52	50	74
	FCC 1 X 24	24,5- 25,5	32	44	52	50	96
	FCC 1 X 7/8" (28)	27- 28	32	44	52	50	90
	FCC 1 X 1.1/4" (40)	39- 40	46	57	52	25/50	144
	FCC 1 X 1.5/8" (52)	50- 52	56	68	52	25/50	165
	FCC 2 X 4,2	4,2- 5,0	22	30	60	50/100	57
	FCC 2 X 5	5,2- 6,2	22	30	60	50/100	57
	FCC 2 X 6	5,5- 6,5	22	30	60	50/100	57
	FCC 2 X 6,5	6,5- 7,5	22	30	60	50/100	57
	FCC 2 X 8	7,5- 8,5	22	30	60	50/100	55
	FCC 2 X 9	8,5- 9,5	22	38	68	50/100	70
	FCC 2 X 10	9,5- 10,5	22	38	68	50/100	70
	FCC 2 X 11	10,5- 11,5	22	38	68	50/100	70
	FCC 2 X 3/8" (14)	13- 14	22	40	70	50/100	65
	FCC 2 X 1/2" (17)	16- 17	22	54	84	50/100	76
	FCC 2 X 18,5	18- 19	32	57	87	50	113
	FCC 2 X 19,5	19- 20	32	57	87	50	110
	FCC 2 X 24	24,5- 25,5	32	81	111	50	140
	FCC 2 X 7/8" (28)	27- 28	32	81	111	50	128
	FCC 2 X 1.1/4" (40)	39- 40	46	106	146	25/50	210
	FCC 2 X 1.5/8" (52)	50- 52	56	128	468	25/50	249
	FCC 3 X 4,2	4,2- 5,0	22	42	72	50/100	73
	FCC 3 X 5	5,2- 6,2	22	42	72	50/100	73
	FCC 3 X 6	5,5- 6,5	22	42	72	50/100	73
	FCC 3 X 6,5	6,5- 7,5	22	42	72	50/100	73
	FCC 3 X 8	7,5- 8,5	22	42	72	50/100	71
	FCC 3 X 9	8,5- 9,5	22	54	84	50/100	91
	FCC 3 X 10	9,5- 10,5	22	54	84	50/100	91
	FCC 3 X 11	10,5- 11,5	22	54	84	50/100	91
	FCC 3 X 3/8" (14)	13- 14	22	57	87	50/100	84
	FCC 3 X 1/2" (17)	16- 17	22	78	108	50	100
	FCC 3 X 18,5	18- 19	32	82	112	50	150
	FCC 3 X 19,5	19- 20	32	82	122	50	150
	FCC 3 X 24	24,5- 25,5	32	118	148	50	184
	FCC 3 X 7/8" (28)	27- 28	32	118	148	50	166
	FCC 3 X 1.1/4" (40)	39- 40	46	155	195	25	276
	FCC 3 X 1.5/8" (52)	50- 52	56	188	228	25	333
	FCC 4 X 4,2	4,2- 5,0	22	54	84	50	89
	FCC 4 X 5	5,2- 6,2	22	54	84	50	89
	FCC 4 X 6	5,5- 6,5	22	54	84	50	89
	FCC 4 X 6,5	6,5- 7,5	22	54	84	50	89
	FCC 4 X 8	7,5- 8,5	22	54	84	50	86
	FCC 4 X 9	8,5- 9,5	22	70	100	50	112
	FCC 4 X 10	9,5- 10,5	22	70	100	50	112
	FCC 4 X 11	10,5- 11,5	22	70	100	50	122
	FCC 4 X 3/8" (14)	13- 14	22	74	104	50	102
	FCC 4 X 1/2" (17)	16- 17	22	102	132	50	124
	FCC 4 X 18,5	18- 19	32	107	137	25	192
	FCC 4 X 19,5	19- 20	32	107	137	25	191
	FCC 4 X 24	24,5- 25,5	32	155	185	25	253
	FCC 4 X 7/8" (28)	27- 28	32	155	185	25	229
	FCC 4 X 1.1/4" (40)	39- 40	46	204	244	25	342
	FCC 4 X 1.5/8" (52)	50- 52	56	248	288	25	417


















2 ROADS

Figure	Name / code	øD	L	H ₁	H _{max}		gram
	FCC 2 X 5/22	5,0- 6,0	22	17	47	50/100/200	47
	FCC 2 X 6/22	5,6- 6,5	22	20	50	50/100/200	47
	FCC 2 X 6,5/22	6,5- 7,3	22	20	50	50/100/200	47
	FCC 2 X 8/22	8,0- 9,0	22	20	50	50/100/200	47
	FCC 2 X 10	10,0- 11,0	32	23	52	50/100	68
	FCC 2 X 11	10,0- 11,0	32	23	52	50/100	68
	FCC 4 X 5/22	5,0- 6,0	22	28	58	50/100	66
	FCC 4 X 6/22	5,6- 6,5	22	34	64	50/100	66
	FCC 4 X 6,5/22	6,5- 7,3	22	34	64	50/100	66
	FCC 4 X 8/22	8,0- 9,0	22	34	64	50/100	66
	FCC 4 X 10	10,0- 11,0	32	40	70	50	93
	FCC 4 X 11	10,0- 11,0	32	40	70	50	93
	FCC 6 X 5/22	5,0- 6,0	22	39	69	50/100	84
	FCC 6 X 6/22	5,6- 6,5	22	48	78	50/100	84
	FCC 6 X 6,5/22	6,5- 7,3	22	48	78	50/100	84
	FCC 6 X 8/22	8,0- 9,0	22	48	78	50/100	84
	FCC 6 X 10	10,0- 11,0	32	57	107	50	110
	FCC 6 X 11	10,0- 11,0	32	57	107	50	110

TRIANGLE

Figure	Name / code	øD	L	H ₁	H _{max}		gram
	FCC 1 X 4-8	4,0- 8,0	22	26	71	50/100	50
	FCC 1 X 9-16	9,0- 16,0	22	34	79	50/100	52
	FCC 1 X 12-22	12,0- 22,0	22	41	86	50/100	56
	FCC 1 X 14-22	14,0- 22,0	32	51	96	50	89
	FCC 1 X 18-24	18,0- 24,0	32	53	98	50	102
	FCC 1 X 26-32	26,0- 32,0	32	62	107	50	108
	FCC 2 X 4-8	4,0- 8,0	22	43	103	50/100	68
	FCC 2 X 9-16	9,0- 16,0	22	60	120	50/100	75
	FCC 2 X 12-22	12,0- 22,0	22	74	134	50	86
	FCC 2 X 14-22	14,0- 22,0	32	93	153	50	149
	FCC 2 X 18-24	18,0- 24,0	32	97	157	50	174
	FCC 2 X 26-32	26,0- 32,0	32	115	175	50	183
	FCC 2 X 124-22 + 26-32	14,00- 22,00 26,00- 32,00	32	105	160	50	176
	FCC 3 X 4-8	4,0- 8,0	22	59	119	50/100	86
	FCC 3 X 9-16	9,0- 16,0	22	84	144	50/100	96
	FCC 3 X 12-22	12,0- 22,0	22	105	165	50	113
	FCC 3 X 14-22	14,0- 22,0	32	135	195	50	235
	FCC 3 X 18-24	18,0- 24,0	32	141	221	50	241
	FCC 3 X 26-32	26,0- 32,0	32	163	228	50	256
	FCC 2 X 8-14	8,0- 14,0	32	36	96	50	71
	FCC 4 X 8-14	8,0- 14,0	32	63	108	50	113
	FCC 6 X 8-14	8,0- 14,0	32	90	150	50	149

OTHER COMBINATIONS

Figure	Name / code	øD	L	H ₁	H _{max}		 gram
	FCC 3 X 18-24 + 2 X 8-12	3 X 18-24 2 X 8-12	32	168	228	50	276
	FCC 2 X 18-24 + 2 X 8-12	2 X 18-24 2 X 8-12	32	124	184	50	209
	FCC 18-24 + 2 X 8-12	1 X 18-24 2 X 8-12	32	80	140	50	142
	FCC 14-32 + 2 X 8-14	14-32 2 X 8-14	32	90	135	50	146
	FCC 3 X 12-22 + 2 X 6,5/22	3 X 12-22 2 X 6,5/22	22	120	180	50	127
	FCC 3 X 12-22 + 4 X 6,5/22	3 X 12-22 4 X 6,5/22	22	134	194	50	177
	FCC 3 X 12-22 + 6 X 6,5/22	3 X 12-22 6 X 6,5/22	22	147	207	50	199
	FCC 3 X 12-22 + 6 X 5/22	3 X 12-22 6 X 5/22	22	140	207	50	184
	FCC 12-22 + 6 X 5/22	12-22 6 X 5/22	22	74	119	50	100
	FCC 3 X 12-22 + 6,5	3 X 12-22 6,5	22	119	179	50	126
	FCC 12-22 + 2 X 5/22	12-22 2 X 5/22	22	52	97	50	72
	FCC 12-22 + 4 X 5/22	12-22 4 X 5/22	22	63	108	50	85
	FCC 12-22 + 2 X 6,5/22	12-22 2 X 6,5/22	22	55	100	50	74
	FCC 12-22 + 4 X 6,5/22	12-22 4 X 6,5/22	22	68	113	50	91
	FCC 12-22 + 6,5	12-22 6,5	22	53	98	50	71
	FCC 9-16 + 6,5	9-16 6,5	22	46	91	50	66
	FCC 4,2 + 9-16	4,2 9-16	22	46	91	50	67
	FCC 3 X 4,2 + 4,2 + 9-16	4,2 4,2 9-16	22	58	103	50	83
	FCC 14-32 + 2 X 10	14-32 2X 10	32	80	125	50	138

Cable mounts for sections 40 x 22 mm, PC

Material: Stainless steel

Polyamide with black glass fiber, resistant to UV radiation

FCCs






Figure	Name / code	ϕD	L	H ₁	H _{max}		gram
	FCCs 1 X 5	5,2- 6,2	13	23	53	50/100/200	40
	FCCs 1 X 8	7,5- 8,5	13	23	53	50/100/200	39
	FCCs 1 X 10	9,5- 10,5	13	23	53	50/100/200	37
	FCCs 1 X 11	10,5- 11,5	13	23	53	50/100/200	36
	FCCs 2 X 5	5,2- 6,2	13	41	71	50/100	52
	FCCs 2 X 8	7,5- 8,5	13	41	71	50/100	50
	FCCs 2 X 10	9,5- 10,5	13	41	71	50/100	46
	FCCs 2 X 11	10,5- 11,5	13	41	71	50/100	45
	FCCs 3 X 5	5,2- 6,2	13	59	89	50/100	64
	FCCs 3 X 8	7,5- 8,5	13	59	89	50/100	61
	FCCs 3 X 10	9,5- 10,5	13	59	89	50/100	55
	FCCs 3 X 11	10,5- 11,5	13	59	89	50/100	52
	FCCs 4 X 5	5,2- 6,2	13	77	107	50	76
	FCCs 4 X 8	7,5- 8,5	13	77	107	50	72
	FCCs 4 X 10	9,5- 10,5	13	77	107	50	64
	FCCs 4 X 11	10,5- 11,5	13	77	107	50	61

Cable clamps mounts for sections 40 x 22 mm, PC; flat bars 3-12 mm; round 3-12 mm


Material: Stainless steel

Polyamide with black glass fiber, resistant to UV radiation


FCE




PC - compatible with PC10-40.




STANDARD




TRIANGLE



2 ROADS



COMBINATION



...and more other solution for request.

Figure	Name / code	øD	L	H1	Hmax		gram
	FCE 1 X 4,2	4,2- 5,0	22	18	48	50/100/200	41
	FCE 1 X 5	5,2- 6,2	22	18	48	50/100/200	41
	FCE 1 X 6	5,5- 6,5	22	18	48	50/100/200	41
	FCE 1 X 6,5	6,5- 7,5	22	18	48	50/100/200	41
	FCE 1 X 8	7,5- 8,5	22	18	48	50/100/200	41
	FCE 1 X 9	8,5- 9,5	22	22	52	50/100/200	49
	FCE 1 X 10	9,5- 10,5	22	22	52	50/100/200	49
	FCE 1 X 11	10,5- 11,5	22	22	52	50/100/200	49
	FCE 1 X 3/8" (14)	13- 14	22	23	52	50/100/200	47
	FCE 1 X 1/2" (17)	16- 17	22	30	52	50/100	52
	FCE 1 X 18,5	18- 19	32	32	52	50	76
	FCE 2 X 19,5	19- 20	32	32	52	50	74
	FCE 1 X 24	24,5- 25,5	32	44	52	50	96
	FCE 1 X 7/8" (28)	27- 28	32	44	52	50	90
	FCE 1 X 1.1/4" (40)	39- 40	46	57	52	25/50	144
	FCE 1 X 1.5/8" (52)	50- 52	56	68	52	25/50	165
	FCE 2 X 4,2	4,2- 5,0	22	30	60	50/100	57
	FCE 2 X 5	5,2- 6,2	22	30	60	50/100	57
	FCE 2 X 6	5,5- 6,5	22	30	60	50/100	57
	FCE 2 X 6,5	6,5- 7,5	22	30	60	50/100	57
	FCE 2 X 8	7,5- 8,5	22	30	60	50/100	55
	FCE 2 X 9	8,5- 9,5	22	38	68	50/100	70
	FCE 2 X 10	9,5- 10,5	22	38	68	50/100	70
	FCE 2 X 11	10,5- 11,5	22	38	68	50/100	70
	FCE 2 X 3/8" (14)	13- 14	22	40	70	50/100	65
	FCE 2 X 1/2" (17)	16- 17	22	54	84	50/100	76
	FCE 2 X 18,5	18- 19	32	57	87	50	113
	FCE 2 X 19,5	19- 20	32	57	87	50	110
	FCE 2 X 24	24,5- 25,5	32	81	111	50	140
	FCE 2 X 7/8" (28)	27- 28	32	81	111	50	128
	FCE 2 X 1.1/4" (40)	39- 40	46	106	146	25/50	210
	FCE 2 X 1.5/8" (52)	50- 52	56	128	468	25/50	249
	FCE 3 X 4,2	4,2- 5,0	22	42	72	50/100	73
	FCE 3 X 5	5,2- 6,2	22	42	72	50/100	73
	FCE 3 X 6	5,5- 6,5	22	42	72	50/100	73
	FCE 3 X 6,5	6,5- 7,5	22	42	72	50/100	73
	FCE 3 X 8	7,5- 8,5	22	42	72	50/100	71
	FCE 3 X 9	8,5- 9,5	22	54	84	50/100	91
	FCE 3 X 10	9,5- 10,5	22	54	84	50/100	91
	FCE 3 X 11	10,5- 11,5	22	54	84	50/100	91
	FCE 3 X 3/8" (14)	13- 14	22	57	87	50/100	84
	FCE 3 X 1/2" (17)	16- 17	22	78	108	50	100
	FCE 3 X 18,5	18- 19	32	82	112	50	150
	FCE 3 X 19,5	19- 20	32	82	122	50	150
	FCE 3 X 24	24,5- 25,5	32	118	148	50	184
	FCE 3 X 7/8" (28)	27- 28	32	118	148	50	166
	FCE 3 X 1.1/4" (40)	39- 40	46	155	195	25	276
	FCE 3 X 1.5/8" (52)	50- 52	56	188	228	25	333
	FCE 4 X 4,2	4,2- 5,0	22	54	84	50	89
	FCE 4 X 5	5,2- 6,2	22	54	84	50	89
	FCE 4 X 6	5,5- 6,5	22	54	84	50	89
	FCE 4 X 6,5	6,5- 7,5	22	54	84	50	89
	FCE 4 X 8	7,5- 8,5	22	54	84	50	86
	FCE 4 X 9	8,5- 9,5	22	70	100	50	112
	FCE 4 X 10	9,5- 10,5	22	70	100	50	112
	FCE 4 X 11	10,5- 11,5	22	70	100	50	122
	FCE 4 X 3/8" (14)	13- 14	22	74	104	50	102
	FCE 4 X 1/2" (17)	16- 17	22	102	132	50	124
	FCE 4 X 18,5	18- 19	32	107	137	25	192
	FCE 4 X 19,5	19- 20	32	107	137	25	191
	FCE 4 X 24	24,5- 25,5	32	155	185	25	253
	FCE 4 X 7/8" (28)	27- 28	32	155	185	25	229
	FCE 4 X 1.1/4" (40)	39- 40	46	204	244	25	342
	FCE 4 X 1.5/8" (52)	50- 52	56	248	288	25	417

2 ROADS

Figure	Name / code	øD	L	H ₁	H _{max}		gram
	FCE 2 X 5/22	5,0- 6,0	22	17	47	50/100/200	47
	FCE 2 X 6/22	5,6- 6,5	22	20	50	50/100/200	47
	FCE 2 X 6,5/22	6,5- 7,3	22	20	50	50/100/200	47
	FCE 2 X 8/22	8,0- 9,0	22	20	50	50/100/200	47
	FCE 2 X 10	10,0- 11,0	32	23	52	50/100	68
	FCE 2 X 11	10,0- 11,0	32	23	52	50/100	68
	FCE 4 X 5/22	5,0- 6,0	22	28	58	50/100	66
	FCE 4 X 6/22	5,6- 6,5	22	34	64	50/100	66
	FCE 4 X 6,5/22	6,5- 7,3	22	34	64	50/100	66
	FCE 4 X 8/22	8,0- 9,0	22	34	64	50/100	66
	FCE 4 X 10	10,0- 11,0	32	40	70	50	93
	FCE 4 X 11	10,0- 11,0	32	40	70	50	93
	FCE 6 X 5/22	5,0- 6,0	22	39	69	50/100	84
	FCE 6 X 6/22	5,6- 6,5	22	48	78	50/100	84
	FCE 6 X 6,5/22	6,5- 7,3	22	48	78	50/100	84
	FCE 6 X 8/22	8,0- 9,0	22	48	78	50/100	84
	FCE 6 X 10	10,0- 11,0	32	57	107	50	110
	FCE 6 X 11	10,0- 11,0	32	57	107	50	110

TRIANGLE

Figure	Name / code	øD	L	H ₁	H _{max}		gram
	FCE 1 X 4-8	4,0- 8,0	22	26	71	50/100	50
	FCE 1 X 9-16	9,0- 16,0	22	34	79	50/100	52
	FCE 1 X 12-22	12,0- 22,0	22	41	86	50/100	56
	FCE 1 X 14-22	14,0- 22,0	32	51	96	50	89
	FCE 1 X 18-24	18,0- 24,0	32	53	98	50	102
	FCE 1 X 26-32	26,0- 32,0	32	62	107	50	108
	FCE 2 X 4-8	4,0- 8,0	22	43	103	50/100	68
	FCE 2 X 9-16	9,0- 16,0	22	60	120	50/100	75
	FCE 2 X 12-22	12,0- 22,0	22	74	134	50	86
	FCE 2 X 14-22	14,0- 22,0	32	93	153	50	149
	FCE 2 X 18-24	18,0- 24,0	32	97	157	50	174
	FCE 2 X 26-32	26,0- 32,0	32	115	175	50	183
	FCE 2 X 14-22 + 26-32	14,00-22,00 26,00- 32,00	32	105	165	50	205
	FCE 3 X 4-8	4,0- 8,0	22	59	119	50/100	86
	FCE 3 X 9-16	9,0- 16,0	22	84	144	50/100	96
	FCE 3 X 12-22	12,0- 22,0	22	105	165	50	113
	FCE 3 X 14-22	14,0- 22,0	32	135	195	50	235
	FCE 3 X 18-24	18,0- 24,0	32	141	221	50	241
	FCE 3 X 26-32	26,0- 32,0	32	163	228	50	256
	FCE 2 X 8-14	8,0- 14,0	32	36	96	50	71
	FCE 4 X 8-14	8,0- 14,0	32	63	108	50	113
	FCE 6 X 8-14	8,0- 14,0	32	90	150	50	149

OTHER COMBINATIONS

Figure	Name / code	øD	L	H ₁	H _{max}		gram
	FCE 3 X 18-24 + 2 X 8-12	3 X 18-24 2 X 8-12	32	168	228	50	276
	FCE 2 X 18-24 + 2 X 8-12	2 X 18-24 2 X 8-12	32	124	184	50	209
	FCE 18-24 + 2 X 8-12	1 X 18-24 2 X 8-12	32	80	140	50	142
	FCE 14-32 + 2 X 8-14	14-32 2 X 8-14	32	90	135	50	146
	FCE 3 X 12-22 + 2 X 6,5/22	3 X 12-22 2 X 6,5/22	22	120	180	50	127
	FCE 3 X 12-22 + 4 X 6,5/22	3 X 12-22 4 X 6,5/22	22	134	194	50	177
	FCE 3 X 12-22 + 6 X 6,5/22	3 X 12-22 6 X 6,5/22	22	147	207	50	199
	FCE 3 X 12-22 + 6 X 5/22	3 X 12-22 6 X 5/22	22	140	207	50	184
	FCE 12-22 + 6 X 5/22	12-22 6 X 5/22	22	74	119	50	100
	FCE 3 X 12-22 + 6,5	3 X 12-22 6,5	22	119	179	50	126
	FCE 12-22 + 2 X 5/22	12-22 2 X 5/22	22	52	97	50	72
	FCE 12-22 + 4 X 5/22	12-22 4 X 5/22	22	63	108	50	85
	FCE 12-22 + 2 X 6,5/22	12-22 2 X 6,5/22	22	55	100	50	74
	FCE 12-22 + 4 X 6,5/22	12-22 4 X 6,5/22	22	68	113	50	91
	FCE 12-22 + 6,5	12-22 6,5	22	53	98	50	71
	FCE 9-16 + 6,5	9-16 6,5	22	46	91	50	66
	FCE 4,2 + 9-16	4,2 9-16	22	46	91	50	67
	FCE 3 X 4,2 + 4,2 + 9-16	4,2 4,2 9-16	22	58	103	50	83
	FCE 14-32 + 2 X 10	14-32 2 X 10	32	80	125	50	138

Cable clamps mounts for sections 40 x 22 mm, PC; flat bars 3-12 mm; round 3-12 mm

Material: Stainless steel

Polyamide with black glass fiber, resistant to UV radiation

FCEs






Figure	Name / code	øD	L	H ₁	H _{max}		gram
	FCEs 1 X 5	5,2- 6,2	13	23	53	50/100/200	40
	FCEs 1 X 8	7,5- 8,5	13	23	53	50/100/200	39
	FCEs 1 X 10	9,5- 10,5	13	23	53	50/100/200	37
	FCEs 1 X 11	10,5- 11,5	13	23	53	50/100/200	36
	FCEs 2 X 5	5,2- 6,2	13	41	71	50/100	52
	FCEs 2 X 8	7,5- 8,5	13	41	71	50/100	50
	FCEs 2 X 10	9,5- 10,5	13	41	71	50/100	46
	FCEs 2 X 11	10,5- 11,5	13	41	71	50/100	45
	FCEs 3 X 5	5,2- 6,2	13	59	89	50/100	64
	FCEs 3 X 8	7,5- 8,5	13	59	89	50/100	61
	FCEs 3 X 10	9,5- 10,5	13	59	89	50/100	55
	FCEs 3 X 11	10,5- 11,5	13	59	89	50/100	52
	FCEs 4 X 5	5,2- 6,2	13	77	107	50	76
	FCEs 4 X 8	7,5- 8,5	13	77	107	50	72
	FCEs 4 X 10	9,5- 10,5	13	77	107	50	64
	FCEs 4 X 11	10,5- 11,5	13	77	107	50	61

Cable clamps mounts for flat bars, pipes 3-30 mm


Material: Stainless steel

Polyamide with black glass fiber, resistant to UV radiation


FCM




STANDARD




TRIANGLE



2 ROADS



COMBINATION



...and more other solution for request.

Figure	Name / code	øD	L	H ₁	H _{max}		gram
	FCM 1 X 4,2	4,2- 5,0	22	18	63	50/100/200	47
	FCM 1 X 5	5,2- 6,2	22	18	63	50/100/200	47
	FCM 1 X 6	5,5- 6,5	22	18	63	50/100/200	47
	FCM 1 X 6,5	6,5- 7,5	22	18	63	50/100/200	47
	FCM 1 X 8	7,5- 8,5	22	18	63	50/100/200	47
	FCM 1 X 9	8,5- 9,5	22	22	67	50/100	46
	FCM 1 X 10	9,5- 10,5	22	22	67	50/100	55
	FCM 1 X 11	10,5- 11,5	22	22	67	50/100	55
	FCM 1 X 3/8" (14)	13- 14	22	23	68	50/100	55
	FCM 1 X 1/2" (17)	16- 17	22	30	75	50/100	53
	FCM 1 X 18,5	18- 19	32	32	77	50	84
	FCM 2 X 19,5	19- 20	32	32	77	50	82
	FCM 1 X 24	24,5- 25,5	32	44	90	50	104
	FCM 1 X 7/8" (28)	27- 28	32	44	90	50	98
	FCM 1 X 1.1/4" (40)	39- 40	46	57	117	25	154
	FCM 1 X 1.5/8" (52)	50- 52	56	68	128	25	175
	FCM 2 X 4,2	4,2- 5,0	22	30	75	50/100	63
	FCM 2 X 5	5,2- 6,2	22	30	75	50/100	63
	FCM 2 X 6	5,5- 6,5	22	30	75	50/100	63
	FCM 2 X 6,5	6,5- 7,5	22	30	75	50/100	63
	FCM 2 X 8	7,5- 8,5	22	30	75	50/100	61
	FCM 2 X 9	8,5- 9,5	22	38	83	50/100	76
	FCM 2 X 10	9,5- 10,5	22	38	83	50/100	76
	FCM 2 X 11	10,5- 11,5	22	38	83	50/100	76
	FCM 2 X 3/8" (14)	13- 14	22	40	85	50/100	71
	FCM 2 X 1/2" (17)	16- 17	22	54	99	50/100	71
	FCM 2 X 18,5	18- 19	32	57	102	50	121
	FCM 2 X 19,5	19- 20	32	57	102	50	118
	FCM 2 X 24	24,5- 25,5	32	81	126	50	148
	FCM 2 X 7/8" (28)	27- 28	32	81	126	50	136
	FCM 2 X 1.1/4" (40)	39- 40	46	106	166	25	220
	FCM 2 X 1.5/8" (52)	50- 52	56	128	188	25	259
	FCM 3 X 4,2	4,2- 5,0	22	42	87	50/100	79
	FCM 3 X 5	5,2- 6,2	22	42	87	50/100	79
	FCM 3 X 6	5,5- 6,5	22	42	87	50/100	79
	FCM 3 X 6,5	6,5- 7,5	22	42	87	50/100	79
	FCM 3 X 8	7,5- 8,5	22	42	87	50/100	79
	FCM 3 X 9	8,5- 9,5	22	54	99	50	97
	FCM 3 X 10	9,5- 10,5	22	54	99	50	97
	FCM 3 X 11	10,5- 11,5	22	54	99	50	97
	FCM 3 X 3/8" (14)	13- 14	22	57	102	50	90
	FCM 3 X 1/2" (17)	16- 17	22	78	123	50	106
	FCM 3 X 18,5	18- 19	32	82	127	50	158
	FCM 3 X 19,5	19- 20	32	82	127	50	154
	FCM 3 X 24	24,5- 25,5	32	118	163	50	192
	FCM 3 X 7/8" (28)	27- 28	32	118	163	50	174
	FCM 3 X 1.1/4" (40)	39- 40	46	155	215	25	286
	FCM 3 X 1.5/8" (52)	50- 52	56	188	248	25	343
	FCM 4 X 4,2	4,2- 5,0	22	54	99	50	95
	FCM 4 X 5	5,2- 6,2	22	54	99	50	95
	FCM 4 X 6	5,5- 6,5	22	54	99	50	95
	FCM 4 X 6,5	6,5- 7,5	22	54	99	50	95
	FCM 4 X 8	7,5- 8,5	22	54	99	50	95
	FCM 4 X 9	8,5- 9,5	22	70	115	50	118
	FCM 4 X 10	9,5- 10,5	22	70	115	50	118
	FCM 4 X 11	10,5- 11,5	22	70	115	50	118
	FCM 4 X 3/8" (14)	13- 14	22	74	119	50	108
	FCM 4 X 1/2" (17)	16- 17	22	102	147	50	130
	FCM 4 X 18,5	18- 19	32	107	152	25	200
	FCM 4 X 19,5	19- 20	32	107	152	25	199
	FCM 4 X 24	24,5- 25,5	32	155	200	25	261
	FCM 4 X 7/8" (28)	27- 28	32	155	200	25	237
	FCM 4 X 1.1/4" (40)	39- 40	46	204	269	25	352
	FCM 4 X 1.5/8" (52)	50- 52	56	248	313	25	427


















2 ROADS

Figure	Name / code	øD	L	H ₁	H _{max}		gram
	FCM 2 X 5/22	5,0- 6,0	22	17	62	50/100/200	53
	FCM 2 X 6/22	5,6- 6,5	22	20	75	50/100/200	53
	FCM 2 X 6,5/22	6,5- 7,3	22	20	75	50/100/200	53
	FCM 2 X 8/22	8,0- 9,0	22	20	75	50/100/200	53
	FCM 2 X 10	10,0- 11,0	32	23	78	50/100	74
	FCM 2 X 11	10,0- 11,0	32	23	78	50/100	74
	FCM 4 X 5/22	5,0- 6,0	22	28	73	50/100	72
	FCM 4 X 6/22	5,6- 6,5	22	34	79	50/100	72
	FCM 4 X 6,5/22	6,5- 7,3	22	34	79	50/100	72
	FCM 4 X 8/22	8,0- 9,0	22	34	79	50/100	72
	FCM 4 X 10	10,0- 11,0	32	40	85	50	99
	FCM 4 X 11	10,0- 11,0	32	40	85	50	99
	FCM 6 X 5/22	5,0- 6,0	22	39	84	50	90
	FCM 6 X 6/22	5,6- 6,5	22	48	93	50	90
	FCM 6 X 6,5/22	6,5- 7,3	22	48	93	50	90
	FCM 6 X 8/22	8,0- 9,0	22	48	93	50	90
	FCM 6 X 10	10,0- 11,0	32	57	122	50	106
	FCM 6 X 11	10,0- 11,0	32	57	122	50	106

TRIANGLE

Figure	Name / code	øD	L	H ₁	H _{max}		gram
	FCM 1 X 4-8	4,0- 8,0	22	26	71	50/100	58
	FCM 1 X 9-16	9,0- 16,0	22	34	79	50/100	60
	FCM 1 X 12-22	12,0- 22,0	22	41	86	50/100	64
	FCM 1 X 14-22	14,0- 22,0	32	51	96	50	97
	FCM 1 X 18-24	18,0- 24,0	32	53	98	50	112
	FCM 1 X 26-32	26,0- 32,0	32	62	107	50	118
	FCM 2 X 4-8	4,0- 8,0	22	43	118	50/100	74
	FCM 2 X 9-16	9,0- 16,0	22	60	135	50/100	81
	FCM 2 X 12-22	12,0- 22,0	22	74	149	50	92
	FCM 2 X 14-22	14,0- 22,0	32	93	168	50	155
	FCM 2 X 18-24	18,0- 24,0	32	97	172	50	182
	FCM 2 X 26-32	26,0- 32,0	32	115	190	50	191
	FCM 3 X 4-8	4,0- 8,0	22	59	119	50	90
	FCM 3 X 9-16	9,0- 16,0	22	84	144	50	100
	FCM 3 X 12-22	12,0- 22,0	22	105	165	50	117
	FCM 3 X 14-22	14,0- 22,0	32	135	195	50	241
	FCM 3 X 18-24	18,0- 24,0	32	141	201	50	247
	FCM 3 X 26-32	26,0- 32,0	32	163	228	50	262
	FCM 2 X 8-14	8,0- 14,0	32	36	111	50	79
	FCM 4 X 8-14	8,0- 14,0	32	63	123	50	119
	FCM 6 X 8-14	8,0- 14,0	32	90	150	50	157

OTHER COMBINATIONS

Figure	Name / code	øD	L	H ₁	H _{max}		 gram
	FCM 3 X 18-24 + 2 X 8-12	3 X 18-24 2 X 8-12	32	168	228	50	284
	FCM 2 X 18-24 + 2 X 8-12	2 X 18-24 2 X 8-12	32	124	184	50	217
	FCM 18-24 + 2 X 8-12	1 X 18-24 2 X 8-12	32	80	155	50	150
	FCM 14-32 + 2 X 8-14	14-32 2 X 8-14	32	90	150	50	154
	FCM 3 X 12-22 + 2 X 6,5/22	3 X 12-22 2 X 6,5/22	22	120	180	50	133
	FCM 3 X 12-22 + 4 X 6,5/22	3 X 12-22 4 X 6,5/22	22	134	194	50	185
	FCM 3 X 12-22 + 6 X 6,5/22	3 X 12-22 6 X 6,5/22	22	147	207	50	201
	FCM 3 X 12-22 + 6 X 5/22	3 X 12-22 6 X 5/22	22	140	207	50	192
	FCM 12-22 + 6 X 5/22	12-22 6 X 5/22	22	74	134	50	106
	FCM 3 X 12-22 + 6,5	3 X 12-22 6,5	22	119	179	50	132
	FCM 12-22 + 2 X 5/22	12-22 2 X 5/22	22	52	112	50	78
	FCM 12-22 + 4 X 5/22	12-22 4 X 5/22	22	63	123	50	89
	FCM 12-22 + 2 X 6,5/22	12-22 2 X 6,5/22	22	55	115	50	80
	FCM 12-22 + 4 X 6,5/22	12-22 4 X 6,5/22	22	68	128	50	95
	FCM 12-22 + 6,5	12-22 6,5	22	53	113	50	75
	FCM 9-16 + 6,5	9-16 6,5	22	46	106	50	70
	FCM 4,2 + 9-16	4,2 9-16	22	46	121	50	73
	FCM 3 X 4,2 + 4,2 + 9-16	4,2 4,2 9-16	22	58	133	50	89
	FCM 14-32 + 2 X 10	14-32 2X 10	32	80	155	50	148

Cable clamps mounts for flat bars, pipes 3-25 mm

Material: Stainless steel

Polyamide with black glass fiber, resistant to UV radiation

FCMs




Figure	Name / code	ϕD	L	H ₁	H _{max}		gram
	FCMs 1 X 5	5,2- 6,2	13	23	68	50/100/200	48
	FCMs 1 X 8	7,5- 8,5	13	23	68	50/100/200	47
	FCMs 1 X 10	9,5- 10,5	13	23	68	50/100/200	45
	FCMs 1 X 11	10,5- 11,5	13	23	68	50/100/200	44
	FCMs 2 X 5	5,2- 6,2	13	41	86	50/100	60
	FCMs 2 X 8	7,5- 8,5	13	41	86	50/100	58
	FCMs 2 X 10	9,5- 10,5	13	41	86	50/100	54
	FCMs 2 X 11	10,5- 11,5	13	41	86	50/100	53
	FCMs 3 X 5	5,2- 6,2	13	59	104	50/100	72
	FCMs 3 X 8	7,5- 8,5	13	59	104	50/100	69
	FCMs 3 X 10	9,5- 10,5	13	59	104	50/100	63
	FCMs 3 X 11	10,5- 11,5	13	59	104	50/100	60
	FCMs 4 X 5	5,2- 6,2	13	77	122	50	84
	FCMs 4 X 8	7,5- 8,5	13	77	122	50	80
	FCMs 4 X 10	9,5- 10,5	13	77	122	50	72
	FCMs 4 X 11	10,5- 11,5	13	77	122	50	69

Double universal mount with an anvil; flat; round and angular

Material: Stainless steel

Polyamide with black glass fiber, resistant to UV radiation

FCU





Figure	Name / code	øD	L	H ₁	H _{max}		gram
	FCU 2 X 5,6	5,1- 6,0	32	13	58	50	182
	FCU 2 X 8	7,0- 8,0	32	16	61	50	185
	FCU 2 X 9	8,0- 9,2	35	16	61	50	185
	FCU 2 X 10	9,8- 10,5	35	16	61	50	185
	FCU 2 X 11	10,5- 11,5	35	16	61	50	185
	FCU 2 X 3/8" (14)	13,0- 14,0	41	19	64	50	185
	FCU 2 X 1/2" (17)	16,0- 17,0	58	27	72	50	209
	FCU 2 X 7/8" (28)	27,0- 28,0	80	38	83	50	227
	FCU 2 X 1.1/4" (40)	39- 40	112	55	100	50	277
	FCU 4 X 5,6	5,1- 6,0	32	26	71	50	195
	FCU 4 X 8	7,0- 8,0	32	32	77	50	201
	FCU 4 X 9	8,0- 9,2	35	32	77	50	201
	FCU 4 X 10	9,8- 10,5	35	32	77	50	201
	FCU 4 X 11	10,5- 11,5	35	32	77	50	201
	FCU 4 X 3/8" (14)	13,0- 14,0	41	38	83	50	251
	FCU 4 X 1/2" (17)	16,0- 17,0	58	54	99	50	248
	FCU 4 X 7/8" (28)	27,0- 28,0	80	76	121	25/50	285
	FCU 4 X 1.1/4" (40)	39- 40	112	110	155	25/50	385
	FCU 6 X 5,6	5,1- 6,0	32	39	84	50	208
	FCU 6 X 8	7,0- 8,0	32	48	93	50	217
	FCU 6 X 9	8,0- 9,2	35	48	93	50	217
	FCU 6 X 10	9,8- 10,5	35	48	93	50	217
	FCU 6 X 11	10,5- 11,5	35	48	93	50	217
	FCU 6 X 3/8" (14)	13,0- 14,0	41	57	102	50	292
	FCU 6 X 1/2" (17)	16,0- 17,0	58	81	126	50	287
	FCU 6 X 7/8" (28)	27,0- 28,0	80	114	159	50	343
	FCU 6 X 1.1/4" (40)	39- 40	112	165	210	25	493
	FCU 8 X 5,6	5,1- 6,0	32	52	97	50	221
	FCU 8 X 8	7,0- 8,0	32	64	109	50	233
	FCU 8 X 9	8,0- 9,2	35	64	109	50	233
	FCU 8 X 10	9,8- 10,5	35	64	109	50	233
	FCU 8 X 11	10,5- 11,5	35	64	109	50	233
	FCU 8 X 3/8" (14)	13,0- 14,0	41	76	121	50	333
	FCU 8 X 1/2" (17)	16,0- 17,0	58	108	153	50	327
	FCU 8 X 7/8" (28)	27,0- 28,0	80	152	197	20/25	401
	FCU 8 X 1.1/4" (40)	39- 40	112	220	265	20/25	599
	FCU 8 X 1.5/8" (52)	50- 52	135	252	297	20/25	683

OTHER COMBINATIONS

Figure	Name / code	øD	L	H ₁	H _{max}		gram
	FCU 4 X 3/8 + 4 X 5,6	4 X 13-14 + 4 X 5,1-6,0	41	64	109	50	277
	FCU 6 X 3/8 + 6 X 5,6	6 X 13-14 + 4 X 5,1-6,0	41	96	141	25	331
	FCU 8 X 3/8 + 6 X 5,6	8 X 13-14 + 4 X 5,1-6,0	41	115	160	25	372
	FCU 6 X 5,6 + 8 X 3/8"	6 X 5,1-6,0 + 8 X 13-14	41	115	160	25	377
	FCU 4 X 5,6 + 4 X 3/8" + 2 X 10	4 X 5,1-6,0 + 4 X 13-14 + 2 X 10	41	80	125	25	302
	FCU 6 X 5,6 + 6 X 3/8" + 2 X 10	6 X 5,1-6,0 + 4 X 13-14 + 2 X 10	41	112	157	25	346
	FCU 4 X 10 + 4 X 5,6	4 X 9,8-10,2 + 4 X 5,1-6,0	32	58	103	50	225
	FCU 6 X 10 + 6 X 5,6	6 X 9,8-10,2 + 6 X 5,1-6,0	32	87	132	25	253
	FCU 8 X 10 + 6 X 5,6	8 X 9,8-10,2 + 6 X 5,1-6,0	32	103	148	25	268

Double universal mount with an anvil; flat; round and angular

Material: Stainless steel

Polyamide with black glass fiber, resistant to UV radiation

FCUs






Figure	Name / code	øD	L	H1	Hmax		gram
	FCUs 2 X 5,6	5,1- 6,0	32	13	58	50	159
	FCUs 2 X 8	7,0- 8,0	32	16	61	50	162
	FCUs 2 X 9	8,0- 9,2	35	16	61	50	159
	FCUs 2 X 10	9,8- 10,5	35	16	61	50	159
	FCUs 2 X 11	10,5- 11,5	35	16	61	50	159
	FCUs 2 X 3/8" (14)	13,0- 14,0	41	19	64	50	159
	FCUs 2 X 1/2" (17)	16,0- 17,0	58	27	72	50	186
	FCUs 2 X 7/8" (28)	27,0- 28,0	80	38	83	50	204
	FCUs 4 X 5,6	5,1- 6,0	32	26	71	50	172
	FCUs 4 X 8	7,0- 8,0	32	32	77	50	178
	FCUs 4 X 9	8,0- 9,2	35	32	77	50	178
	FCUs 4 X 10	9,8- 10,5	35	32	77	50	178
	FCUs 2 X 11	10,5- 11,5	35	32	77	50	178
	FCUs 4 X 3/8" (14)	13,0- 14,0	41	38	83	50	228
	FCUs 4 X 1/2" (17)	16,0- 17,0	58	54	99	50	225
	FCUs 4 X 7/8" (28)	27,0- 28,0	80	76	121	25/50	262
	FCUs 6 X 5,6	5,1- 6,0	32	39	84	50	185
	FCUs 6 X 8	7,0- 8,0	32	48	93	50	194
	FCUs 6 X 9	8,0- 9,2	35	48	93	50	194
	FCUs 6 X 10	9,8- 10,5	35	48	93	50	194
	FCUs 6 X 11	10,5- 11,5	35	48	93	50	194
	FCUs 6 X 3/8" (14)	13,0- 14,0	41	57	102	50	269
	FCUs 6 X 1/2" (17)	16,0- 17,0	58	81	126	50	264

Cable clamps universal mount with an anvil; flat; round and angular

Material: Stainless steel

Polyamide with black glass fiber, resistant to UV radiation

FU



...and more other solution for request.


Figure	Name / code	øD	L	H1	Hmax		gram
	FU 1 X 5,6	5,1- 6,0	33	12	57	50	185
	FU 1 X 8	7,0- 8,0	33	12	57	50	185
	FU 1 X 9	8,0- 9,2	41	20	65	50	200
	FU 1 X 10	9,8- 10,5	41	20	65	50	199
	FU 1 X 11	10,5- 11,5	41	20	65	50	198
	FU 1 X 3/8" (14)	13,0- 14,0	41	20	65	50	194
	FU 1 X 1/2" (17)	16,0- 17,0	41	20	65	50	193
	FU 1 x 18,5	17-18	41	24	69	50	199
	FU 1 X 7/8" (28)	27- 28	52	38	83	50	223
	FU 1 X 1.1/4" (40)	39- 40	64	55	100	50	254
	FU 1 X 1.5/8" (52)	50- 52	76	64	109	50	271
	FU 2 X 5,6	5,1- 6,0	33	24	69	50	199
	FU 2 X 8	7,0- 8,0	33	24	69	50	199
	FU 2 X 9	8,0- 9,2	41	40	85	50	232
	FU 2 X 10	9,8- 10,5	41	40	85	50	230
	FU 2 X 11	10,5- 11,5	41	40	85	50	228
	FU 2 X 3/8" (14)	13,0- 14,0	41	40	85	50	220
	FU 2 X 1/2" (17)	16,0- 17,0	41	40	85	50	218
	FU 2 x 18,5	17-18	41	48	93	50	228
	FU 2 X 7/8" (28)	27- 28	52	76	121	50	274
	FU 2 X 1.1/4" (40)	39- 40	64	110	155	50	339
	FU 2 X 1.5/8" (52)	50- 52	76	128	173	50	373
	FU 3 X 5,6	5,1- 6,0	33	36	81	50	213
	FU 3 X 8	7,0- 8,0	33	36	81	50	213
	FU 3 X 9	8,0- 9,2	41	60	105	50	263
	FU 3 X 10	9,8- 10,5	41	60	105	50	260
	FU 3 X 11	10,5- 11,5	41	60	105	50	257
	FU 3 X 3/8" (14)	13,0- 14,0	41	60	105	50	245
	FU 3 X 1/2" (17)	16,0- 17,0	41	60	105	50	242
	FU 3 x 18,5	17-18	41	72	117	50	258
	FU 3 X 7/8" (28)	27- 28	52	114	159	25/50	331
	FU 3 X 1.1/4" (40)	39- 40	64	165	210	25	424
	FU 3 X 1.5/8" (52)	50- 52	76	192	237	25	247
	FU 4 X 5,6	5,1- 6,0	33	48	93	50	228
	FU 4 X 8	7,0- 8,0	33	48	93	50	228
	FU 4 X 9	8,0- 9,2	41	80	125	50	294
	FU 4 X 10	9,8- 10,5	41	80	125	50	290
	FU 4 X 11	10,5- 11,5	41	80	125	50	286
	FU 4 X 3/8" (14)	13,0- 14,0	41	80	125	50	270
	FU 4 X 1/2" (17)	16,0- 17,0	41	80	125	50	266
	FU 4 x 18,5	17-18	41	96	141	25	287
	FU 4 X 7/8" (28)	27- 28	52	152	197	25	384
	FU 4 X 1.1/4" (40)	39- 40	64	220	265	25	509
	FU 4 X 1.5/8" (52)	50- 52	76	256	301	20/25	577

Cable clamps universal mount with an anvil; flat; round and angular

Material: Stainless steel

Polyamide with black glass fiber, resistant to UV radiation

FUs




...and more other solution for request.

Figure	Name / code	øD	L	H1	Hmax		gram
	FUs 1 X 5,6	5,1- 6,0	33	12	57	50	162
	FUs 1 X 8	7,0- 8,0	33	12	57	50	162
	FUs 1 X 9	8,0- 9,2	41	20	65	50	177
	FUs 1 X 10	9,8- 10,5	41	20	65	50	176
	FUs 1 X 11	10,5- 11,5	41	20	65	50	175
	FUs 1 X 3/8" (14)	13,0- 14,0	41	20	65	50	171
	FUs 1 X 1/2" (17)	16,0- 17,0	41	20	65	50	170
	FUs 1 x 18,5	17-18	41	24	69	50	176
	FUs 1 X 7/8" (28)	27- 28	52	38	83	50	200
	FUs 1 X 1.1/4" (40)	39- 40	64	55	100	50	231
	FUs 1 X 1.5/8" (52)	50- 52	76	64	109	50	248
	FUs 2 X 5,6	5,1- 6,0	33	24	69	50	176
	FUs 2 X 8	7,0- 8,0	33	24	69	50	176
	FUs 2 X 9	8,0- 9,2	41	40	85	50	209
	FUs 2 X 10	9,8- 10,5	41	40	85	50	207
	FUs 2 X 11	10,5- 11,5	41	40	85	50	202
	FUs 2 X 3/8" (14)	13,0- 14,0	41	40	85	50	197
	FUs 2 X 1/2" (17)	16,0- 17,0	41	40	85	50	195
	FUs 2 x 18,5	17-18	41	48	93	50	205
	FUs 2 X 7/8" (28)	27- 28	52	76	121	50	251
	FUs 3 X 5,6	5,1- 6,0	33	36	81	50	190
	FUs 3 X 8	7,0- 8,0	33	36	81	50	190
	FUs 3 X 9	8,0- 9,2	41	60	105	50	240
	FUs 3 X 10	9,8- 10,5	41	60	105	50	237
	FUs 3 X 11	10,5- 11,5	41	60	105	50	234
	FUs 3 X 3/8" (14)	13,0- 14,0	41	60	105	50	222
	FUs 3 X 1/2" (17)	16,0- 17,0	41	60	105	50	219


Cable mount for section 40x22 mm flat bars

Material: stainless steel, polyamide with black glass fiber, resistant to UV radiation


CU




COMPATIBLE WITH



FFB



KU




KUs


Figure	Name / code	øD	L	H ₁	H _{max}		gram
	CU 2 X 5,6	5,1- 6,0	32	13	58	50	52
	CU 2 X 8	7,0- 8,0	32	16	61	50	52
	CU 2 X 9	8,0- 9,2	35	16	61	50	55
	CU 2 X 10	9,8- 10,5	35	16	61	50	55
	CU 2 X 11	10,5- 11,5	35	16	61	50	55
	CU 2 X 3/8" (14)	13,0- 14,0	41	19	64	50	55
	CU 2 X 1/2" (17)	16,0- 17,0	58	27	72	50	79
	CU 2 X 7/8" (28)	27,0- 28,0	80	38	83	50	97
	CU 2 X 1.1/4" (40)	39- 40	112	55	100	50	147
	CU 2 X 1.5/8" (52)	50- 52	135	63	108	50	168
	CU 4 X 5,6	5,1- 6,0	32	26	71	50	65
	CU 4 X 8	7,0- 8,0	32	32	77	50	71
	CU 4 X 9	8,0- 9,2	35	32	77	50	71
	CU 4 X 10	9,8- 10,5	35	32	77	50	71
	CU 2 X 11	10,5- 11,5	35	32	77	50	71
	CU 4 X 3/8" (14)	13,0- 14,0	41	38	83	50	121
	CU 4 X 1/2" (17)	16,0- 17,0	58	54	99	50	118
	CU 4 X 7/8" (28)	27,0- 28,0	80	76	121	25/50	155
	CU 4 X 1.1/4" (40)	39- 40	112	110	155	25/50	255
	CU 4 X 1.5/8" (52)	50- 52	135	126	171	25/50	296
	CU 6 X 5,6	5,1- 6,0	32	39	84	50	78
	CU 6 X 8	7,0- 8,0	32	48	93	50	87
	CU 6 X 9	8,0- 9,2	35	48	93	50	87
	CU 6 X 10	9,8- 10,5	35	48	93	50	87
	CU 6 X 11	10,5- 11,5	35	48	93	50	87
	CU 6 X 3/8" (14)	13,0- 14,0	41	57	102	50	162
	CU 6 X 1/2" (17)	16,0- 17,0	58	81	126	50	157
	CU 6 X 7/8" (28)	27,0- 28,0	80	114	159	50	213
	CU 6 X 1.1/4" (40)	39- 40	112	165	210	25	363
	CU 6 X 1.5/8" (52)	50- 52	135	189	234	25	425
	CU 8 X 5,6	5,1- 6,0	32	52	97	50	81
	CU 8 X 8	7,0- 8,0	32	64	109	50	103
	CU 8 X 9	8,0- 9,2	35	64	109	50	103
	CU 8 X 10	9,8- 10,5	35	64	109	50	103
	CU 8 X 11	10,5- 11,5	35	64	109	50	103
	CU 8 X 3/8" (14)	13,0- 14,0	41	76	121	50	103
	CU 8 X 1/2" (17)	16,0- 17,0	58	108	153	50	197
	CU 8 X 7/8" (28)	27,0- 28,0	80	152	197	20/25	271
	CU 8 X 1.1/4" (40)	39- 40	112	220	265	20/25	469
	CU 8 X 1.5/8" (52)	50- 52	135	252	297	20/25	553

Cable mount for section 40x22 mm flat bars


Material: stainless steel, polyamide with black glass fiber, resistant to UV radiation

FBU


COMPATIBLE WITH



FFB



KU



KUs


Compatible with CU; FBU; FFB.

Figure	Name / code	øD	L	H ₁	H _{max}		gram
	FBU 1 X 5,6	5,1- 6,0	33	12	57	50	55
	FBU 1 X 8	7,0- 8,0	33	12	57	50	55
	FBU 1 X 9	8,0- 9,2	41	20	65	50	70
	FBU 1 X 10	9,8- 10,5	41	20	65	50	69
	FBU 1 X 11	10,5- 11,5	41	20	65	50	68
	FBU 1 X 3/8" (14)	13,0- 14,0	41	20	65	50	64
	FBU 1 X 1/2" (17)	16,0- 17,0	41	20	65	50	63
	FBU 1 x 18,5	17-18	41	24	69	50	69
	FBU 1 X 7/8" (28)	27- 28	52	38	83	50	93
	FBU 1 X 1.1/4" (40)	39- 40	64	55	100	50	124
	FBU 1 X 1.5/8" (52)	50- 52	76	64	109	50	141
	FBU 2 X 5,6	5,1- 6,0	33	24	69	50	69
	FBU 2 X 8	7,0- 8,0	33	24	69	50	69
	FBU 2 X 9	8,0- 9,2	41	40	85	50	100
	FBU 2 X 10	9,8- 10,5	41	40	85	50	100
	FBU 2 X 11	10,5- 11,5	41	40	85	50	98
	FBU 2 X 3/8" (14)	13,0- 14,0	41	40	85	50	90
	FBU 2 X 1/2" (17)	16,0- 17,0	41	40	85	50	88
	FBU 2 x 18,5	17-18	41	48	93	50	98
	FBU 2 X 7/8" (28)	27- 28	52	76	121	50	144
	FBU 2 X 1.1/4" (40)	39- 40	64	110	155	50	209
	FBU 2 X 1.5/8" (52)	50- 52	76	128	173	50	243
	FBU 3 X 5,6	5,1- 6,0	33	36	81	50	83
	FBU 3 X 8	7,0- 8,0	33	36	81	50	83
	FBU 3 X 9	8,0- 9,2	41	60	105	50	133
	FBU 3 X 10	9,8- 10,5	41	60	105	50	130
	FBU 3 X 11	10,5- 11,5	41	60	105	50	127
	FBU 3 X 3/8" (14)	13,0- 14,0	41	60	105	50	115
	FBU 3 X 1/2" (17)	16,0- 17,0	41	60	105	50	112
	FBU 3 x 18,5	17-18	41	72	117	50	128
	FBU 3 X 7/8" (28)	27- 28	52	114	159	25/50	200
	FBU 3 X 1.1/4" (40)	39- 40	64	165	210	25	294
	FBU 3 X 1.5/8" (52)	50- 52	76	192	237	25	345
	FBU 4 X 5,6	5,1- 6,0	33	48	93	50	98
	FBU 4 X 8	7,0- 8,0	33	48	93	50	98
	FBU 4 X 9	8,0- 9,2	41	80	125	50	164
	FBU 4 X 10	9,8- 10,5	41	80	125	50	160
	FBU 4 X 11	10,5- 11,5	41	80	125	50	156
	FBU 4 X 3/8" (14)	13,0- 14,0	41	80	125	50	140
	FBU 4 X 1/2" (17)	16,0- 17,0	41	80	125	50	136
	FBU 4 x 18,5	17-18	41	96	141	25	157
	FBU 4 X 7/8" (28)	27- 28	52	152	197	25	254
	FBU 4 X 1.1/4" (40)	39- 40	64	220	265	25	379
	FBU 4 X 1.5/8" (52)	50- 52	76	256	301	20/25	447

Universal clamp with an anvil; flat; round and angular

Material: Stainless steel

KU




Compatible with CU; FBU; FFB.

Name / code		gram
KU	50/100	127

Universal clamp with an anvil; flat; round and angular

Material: Stainless steel

KUs




Compatible with CU; FBU; FFB.

Name / code		gram
KUs	50/100	109

FFB mounting for round steel strips

Material: Stainless steel

FFB



Compatible with CU; FBU; PC10-40; FFS105; FFS200 only with double nuts M8

Name / code		gram
FFB	50/100/200	62


Stirrup

Material: Stainless steel


FFS105 / FFS200



FFS105



FFS200





Montage for KU, KUs, FFB. Compatible with FCB, FCBs.

Name / code		 gram
FFS 105	50/100/200	80
FFS 200	50/100/200	135

Section 40 x 20 x 1,5
Material: Stainless steel

PC10-40



Montage for KU, KUs, FFB. Compatible with FCC, FCCs, FCE, FCEs.

Name / code		gram
PC 10	50/100/200	121
PC 15	50/100/200	182
PC 20	50/100/200	242
PC 30	50/100	363
PC 40	50	484

